

0010

NEW YORK STATE DEPARTMENT OF HEALTH
WHADSWORTH CENTER FOR LABORATORIES AND RESEARCH

RESULTS OF EXAMINATION

REPORT MAILED OUT

SAMPLE ID: 920308 SAMPLE RECEIVED: 92/01/20/ CHARGE: 4.00
PROGRAM: 670: STATE UNIVERSITY OF NEW YORK
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE: 5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ (WIPE AREA=30CM X 30CM WITH HEXANE)
DESCRIPTION: CAPAN HALL ROOM 101 ON DESK TOPS CHI SAMPLE ID 9117921010
REPORTING LAB: TOX: LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP: PCB'S IN WIPES
SAMPLE TYPE: 172: MOIST WIPE
TIME OF SAMPLING: 92/01/17 DATE REPORTED: 92/01/23

<> CHAIN OF CUSTODY FORM ACCOMPANIED THIS SAMPLE.

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE REPORTED: 92/01/23 REPORT MAILED OUT

PARAMETER	RESULT
PCB, AROCLOR 1221	< 0.05 MCG
PCB, AROCLOR 1016/1242	< 0.05 MCG
PCB, AROCLOR 1248	< 0.05 MCG
PCB, AROCLOR 1254	0.22 MCG
PCB, AROCLOR 1260	0.09 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

*** END OF REPORT ***

COPIES SENT TO: CO(2), RO(), LPHE(), FED(), INFO-P(), INFO-L(), 405

THIS REPORT HAS BEEN PRODUCED
BY THE ELDARS SEARCH FACILITY
FROM THE ACTIVE DATABASE

SUBMITTED BY: KNUDSEN

NEW YORK STATE DEPARTMENT OF HEALTH
JACOBSON CENTER FOR LABORATORIES AND RESEARCH

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 920308 SAMPLE RECEIVED: 92/01/20/ CHARGE: \$14.00
PROGRAM: 870: STATE UNIVERSITY OF NEW YORK
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE: 5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ (WIPE AREA=30CM X 30CM WITH HEXANE)
DESCRIPTION: CAPAN HALL ROOM 101 ON DESK TOPS CHI SAMPLE ID 9117921010
REPORTING LAB: TOX: LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP: PCB'S IN WIPES
SAMPLE TYPE: 172: MOIST WIPE
TIME OF SAMPLING: 92/01/17 : DATE PRINTED: 92/01/23

<> CHAIN-OF-CUSTODY FORM ACCOMPANIED THIS SAMPLE.

<>

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 92/01/23

FINAL REPORT

-----PARAMETER-----	-----RESULT-----
PCB, ARCLOR 1221	< 0.05 MCG
PCB, ARCLOR 1016/12+2	< 0.05 MCG
PCB, ARCLOR 1248	< 0.05 MCG
PCB, ARCLOR 1254	0.22 MCG
PCB, ARCLOR 1260	0.09 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****

COPIES SENT TO: CC(2), RC(), DPHE(), FED(), INFO-P(), INFO-LC(), 405

DR. JOHN HAWLEY
DIV. ENVIRONMENTAL HEALTH ASSESSMENT
NY STATE DEPT. OF HEALTH
11 UNIVERSITY PLACE
ALBANY, NY 12237 **INTERAGENCY MAIL**

SUBMITTED BY: KNUDSEN

0011 NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER FOR LABORATORIES AND RESEARCH

RESULTS OF EXAMINATION

REPORT MAILED OUT

SAMPLE ID: 920209 SAMPLE RECEIVED: 92/01/20/ CHARGE: 4.00
PROGRAM: 870: STATE UNIVERSITY OF NEW YORK
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE: 5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
LATITUDE: LONGITUDE: 2 DIRECTION:
LOCATION: 356807H - SUNY NEW PALTZ (WIPE AREA=30CM X 30CM WITH HEXANE)
DESCRIPTION: CAPAN HALL ROOM 106, ON DESK TOP, CHI SAMPLE ID 911792106D
REPORTING LAB: TOX: LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP: PCB'S IN WIPES
SAMPLE TYPE: 172: MOIST WIPE
TIME OF SAMPLING: 92/01/17 DATE REPORTED: 92/01/23

<> CHAIN-OF-CUSTODY FORM ACCOMPANIED THIS SAMPLE. <>

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE REPORTED: 92/01/23 REPORT MAILED OUT

-----PARAMETER-----	-----RESULT-----
PCB, AROCLOR 1221	< 0.05 MCG
PCB, AROCLOR 1016/1242	< 0.05 MCG
PCB, AROCLOR 1248	< 0.05 MCG
PCB, AROCLOR 1254	< 0.05 MCG
PCB, AROCLOR 1260	< 0.05 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****

COPIES SENT TO: SO(2), ROC(), LPHE(), FED(), INFO-P(), INFO-L(), 405

- THIS REPORT HAS BEEN PRODUCED -
- BY THE ELDARS SEARCH FACILITY -
- FROM THE ACTIVE DATABASE -

SUBMITTED BY: KNUDSEN

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER FOR LABORATORIES AND RESEARCH

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 920309 SAMPLE RECEIVED: 92/01/20/ CHARGE: 4.00
PROGRAM: R70: STATE UNIVERSITY OF NEW YORK
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE: 5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ (WIPE AREA=30CM X 30CM WITH HEXANE)
DESCRIPTION: CAPAN HALL ROOM 106, ON DESK TOP, CHI SAMPLE ID 911792106D
REPORTING LAB: TOX: LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP: PCB'S IN WIPES
SAMPLE TYPE: 172: MOIST WIPE
TIME OF SAMPLING: 92/01/17 : DATE PRINTED: 92/01/23

<> CHAIN-OF-CUSTODY FORM ACCOMPANIED THIS SAMPLE.

<>

ANALYSIS: PCBWP PCB'S IN WIPES (CES 312-3)
DATE PRINTED: 92/01/23 FINAL REPORT

-----PARAMETER-----	-----RESULT-----
PCB, AROCLOR 1221	< 0.05 MCG
PCB, AROCLOR 1016/1242	< 0.05 MCG
PCB, AROCLOR 1248	< 0.05 MCG
PCB, AROCLOR 1254	< 0.05 MCG
PCB, AROCLOR 1250	< 0.05 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****

COPIES SENT TO: CD(2), RC(), DPHE(), FED(), INFO-P(), INFO-L(), 405

DR. JOHN HAWLEY
DIV. ENVIRONMENTAL HEALTH ASSESSMENT
NY STATE DEPT. OF HEALTH
11 UNIVERSITY PLACE
ALBANY, NY 12237 **INTERAGENCY MAIL**

SUBMITTED BY: KNUDSEN

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 920329 SAMPLE RECEIVED: 92/01/20/ CHARGE: 4.00
PROGRAM: 870: STATE UNIVERSITY OF NEW YORK
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE: 5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNNY NEW PALTZ (WIPE AREA=30CM X 30CM WITH HEXANE)
DESCRIPTION: CAPEN ELECTRIC BOX COVER IN ELECTRIC PANEL ROOM NEXT TO
DESCRIPTION: TRANSFORMER VAULT
REPORTING LAB: TOX: LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP: PCB'S IN WIPES
SAMPLE TYPE: 172: MOIST WIPE
TIME OF SAMPLING: 92/01/ DATE REPORTED: 92/01/23

<> CHAIN-OF-CUSTODY FORM ACCOMPANIED THIS SAMPLE. <>

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE REPORTED: 92/01/23 REPORT MAILED OUT

-----PARAMETER-----	-----RESULT-----
PCB, AROCLOR 1221	< 0.05 MCG
PCB, AROCLOR 1016/1242	< 0.05 MCG
PCB, AROCLOR 1248	< 0.05 MCG
PCB, AROCLOR 1254	< 0.05 MCG
PCB, AROCLOR 1260	0.71 MCG
AREA OF WIPE IN SQUARE METER	9.09 SQ. M.

**** END OF REPORT ****

COPIES SENT TO: CO(2), ROC(), LPHE(), FED(), INFO-P(), INFO-L(), 405

- THIS REPORT HAS BEEN PRODUCED -
- BY THE ELDRS SEARCH FACILITY -
- FROM THE ACTIVE DATABASE -

SUBMITTED BY: KNUDSEN

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER FOR LABORATORIES AND RESEARCH

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 920165 SAMPLE RECEIVED: 92/01/10/ CHARGE: 4.00
PROGRAM: 870: STATE UNIVERSITY OF NEW YORK
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE: 5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: SUNY NEW PALTZ CLEAN HARBORS #9281892 - CAPEN
DESCRIPTION: RM 89 ON FLOOR UNDER RGT. BED
REPORTING LAB: TOX: LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP: PCB'S IN WIRES
SAMPLE TYPE: 172: MOIST WIPE
TIME OF SAMPLING: 92/01/08 17:05 DATE PRINTED: 92/01/16

ANALYSIS: PCBWP PCB'S IN WIRES (DES 312-3)
DATE PRINTED: 92/01/16 FINAL REPORT

-----PARAMETER-----	-----RESULT-----
PCB, AROCLOR 1221	< 0.05 MCG
PCB, AROCLOR 1016/1242	< 0.05 MCG
PCB, AROCLOR 1248	< 0.05 MCG
PCB, AROCLOR 1254	< 0.05 MCG
PCB, AROCLOR 1260	0.33 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

*** END OF REPORT ***

COPIES SENT TO: CO(1), RO(), LPHEC(), FED(), INFO-P(), INFO-L()

DR. JOHN HAWLEY
DIV. ENVIRONMENTAL HEALTH ASSESSMENT
NY STATE DEPT. OF HEALTH
11 UNIVERSITY PLACE
ALBANY, NY 12237 **INTERAGENCY MAIL**

SUBMITTED BY: C HUDSON

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER FOR LABORATORIES AND RESEARCH

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 920041 SAMPLE RECEIVED: 92/01/08/ CHARGE: 4.00
 PROGRAM: 870: STATE UNIVERSITY OF NEW YORK
 SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE: 5522
 POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
 LATITUDE: LONGITUDE: Z DIRECTION:
 LOCATION: SUNY NEW PALTZ-CLEAN HARBORS #0901010592
 DESCRIPTION: CAREN-WINDOWSILL ACROSS FROM STAIRS (GAUZE)
 REPORTING LAB: TOX: LAB FOR ORGANIC ANALYTICAL CHEMISTRY
 TEST PATTERN: PCBWP: PCB'S IN WIPES
 SAMPLE TYPE: 172: MOIST WIPE
 TIME OF SAMPLING: 92/01/06 : TO 92/01/06 : DATE PRINTED: 92/01/13

<> *****
 <> SAMPLES WERE EXTRACTED BY CLEAN HARBORS. <>
 <> APPROXIMATELY 20 ML OF TOTAL VOLUME OF 25 ML WAS PUT BACK <>
 <> IN ORIGINAL SAMPLE VIAL WITH GAUZE WIPE. RESULTS ARE <>
 <> GIVEN IN MICROGRAMS PER THE ESTIMATED 80% OF SAMPLE <>
 <> EXTRACT. <>
 <> *****

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
 DATE PRINTED: 92/01/13

FINAL REPORT

-----PARAMETER-----

-----RESULT-----

PCB, AROCLOR 1221 < 0.05 MCG
 PCB, AROCLOR 1016/1242 < 0.05 MCG
 PCB, AROCLOR 1248 < 0.05 MCG
 PCB, AROCLOR 1254 < 0.05 MCG
 PCB, AROCLOR 1260 0.42 MCG
 AREA OF WIPE IN SQUARE METER 0.04 SQ. M.

**** END OF REPORT ****

0.04 SQ. M.

COPIES SENT TO: CO(1), RO(), LPHE(), FED(), INFO-P(), INFO-L()

DR. JOHN HAWLEY
 DIV. ENVIRONMENTAL HEALTH ASSESSMENT
 NY STATE DEPT. OF HEALTH
 11 UNIVERSITY PLACE
 ALBANY, NY 12237 **INTERAGENCY MAIL**

SUBMITTED BY: HUDSON