



STATE OF NEW YORK DEPARTMENT OF HEALTH

Flanigan Square, 547 River Street, Troy, New York 12180-2216

Antonia C. Novello, M.D., M.P.H.
Commissioner

Dennis P. Whalen
Executive Deputy Commissioner

April 4, 2001

Arnold Bernadini
Assistant Vice President
Facilities & Planning
SUNY College at New Paltz
75 South Mannheim Boulevard
New Paltz, N.Y. 12561

Dear Mr. Bernadini:

Air and wipe samples were collected in January 2001 at SUNY New Paltz for PCB analysis. These samples were collected from surfaces in five campus buildings that were sealed with encapsulant material because they could not be cleaned, or removed, to comply with the SUNY New Paltz PCB clean up criteria. Sampling and analysis was conducted in accordance with the clean up protocols established for this site and according to generally accepted methods for environmental sample collection and analysis. All analyses were conducted by the New York State Department of Health Laboratory.

Wipe samples were collected in 21 locations in former transformer vaults and electrical rooms. Samples could not be collected from the loading docks surfaces of Scudder Hall and Parker Theater in January 2001 because these surfaces were not accessible. A wipe sample was collected in the former Capen Hall transformer vault at the request of the SUNY New Paltz Health & Safety Coordinator. Air samples were collected in seven areas of the five affected buildings.

The levels of PCB Aroclor 1260 in the January 2001 wipe samples ranged from 0.01 micrograms per centimeter squared (MCG/cm.sq.) to 0.28 MCG/cm.sq. No other Aroclors were detected above the laboratory method detection limit. Aroclor 1260 levels in the February 1998 samples ranged from 0.01 MCG/cm.sq. to 0.73 MCG/cm.sq. Aroclors 1016/1242 were also detected at trace levels on some surfaces in each sampling location. None of the 1998 or 2001 wipe samples exceeded the PCB surface clean up criterion of 1 MCG/cm.sq. The analytical results of the PCB wipe samples collected in February 1998 and January 2001 are summarized in Table 1.


No PCB Aroclors were detected in the 2001 air samples above the laboratory method detection limit of 0.2 micrograms per cubic meter (MCG/Cu.M.). The February 1998 air sample results indicated Aroclor 1260 detection in only one area; the Gage transformer vault. Aroclors 1254 and 1016/1242 were present, but less than the detection limit, in several areas. The transformer fluid that was spilled during the December 1991 incident contained primarily Aroclor 1260. None of the 1998 or 2001 air samples exceeded the clean up criterion of 1 MCG/Cu. M. The results of the February 1998 and January 2001 air samples are summarized in Table 2.

Levels of PCBs in the January 2001 wipe samples are similar to, or less than, the levels of PCBs in the February 1998 samples. PCB levels in air sample results have decreased to below the method detection limit. The levels of lower molecular weight Aroclors (1016, 1242, and 1254) have also decreased to below the method detection limit over this testing interval. These data indicate that the PCB levels on surfaces and in the air are decreasing.

Since PCB levels have remained stable, or decreased, it appears that the encapsulant material is intact and functioning properly. Access to encapsulated areas on campus is restricted, significantly reducing the potential for human exposure to PCBs. Based upon these observations, it may be appropriate to reduce the sampling frequency at SUNY New Paltz.

Thank you for your assistance and support throughout this lengthy and complex remediation effort. If you have any questions please call me at (845) 794-2045 or (845) 256-3148.

Sincerely,

A handwritten signature in black ink, appearing to read "Mark Knudsen". The signature is fluid and cursive, with a long horizontal stroke at the end.

Mark Knudsen
Regional Toxics Coordinator

Encl.

Cc: S. Bates
A. Dumas
B. McCabe
SUNY Construction Fund

TABLE 1

PCB WIPE SAMPLE RESULTS
(micrograms per 100 centimeter square)

LOCATION	SAMPLE ID	FEB. 1998		JAN. 2001
		Aroclor 1260	Aroclor 1016/1242	Aroclor 1260 ¹
BLISS HALL				
Electric room ceiling beam	B-Elect Room	0.73	0.08 PL	0.11
Vault, S beam & W column	B-Vault #1	0.05		0.02
Vault, W beam & column	B-Vault #2	0.02	0.05 PL	Not Sampled
Exterior grade beam	B-Ext Grade Beam	< 0.05		0.05 PL
GAGE HALL				
Vault, S door beam	G-Beam #1	0.24	0.03 PL	0.23
Vault, door columns	G-Column #1	0.20	0.05 PL	0.20
SCUDDER HALL				
Vault, S column	S-Column	0.15		0.28
Vault, E wall beam	S-Beam #1	0.25	0.05 PL	0.06
Vault, W & S beams	S-Beam #2	0.11	0.01 PL	0.11
COYKENDALL				
Electric room columns	C-Mer Column #1	0.05	0.05	0.07
Electric room columns	C-Mer Column #2	0.22	0.02	0.04
Vault, E wall	C-Mer Wall #1	0.13	0.01 PL	0.05
Electric room E wall	C-Mer Wall #2	0.21	0.03 PL	0.01
Electric room ceiling	C-Mer Ceiling #1	0.01		0.01
Vault & Elec room ceilings	C-Mer Ceiling #2	0.06	0.01	0.01
Vault & Elec room beams	C-Mer Beam	0.03	0.05 PL	0.03
PARKER				
Loading dock face	P-Loadd 1	< 0.05		0.05 PL
Loading dock face	P-Loadd 2	< 0.05		Not Sampled
Exterior vault beam	P-Vault Beam	< 0.05		Not Sampled
Elec room S & W wall	P-Elec Room #1	0.15	0.05	0.01
Elec room N & E wall	P-Elec Room #2	0.13	0.01	0.02
Vault E wall	P-Vault #1	0.02	0.05 PL	0.04
Vault S wall	P-Vault #2	0.03	0.05 PL	0.04
CAPEN				
Vault	Vault wall			0.16
QUALITY ASSURANCE SAMPLES				
Gauze soaked in hexane	Blank	Not Detected		Not Detected
Dry gauze	Trip blank	Not Detected		Not Detected
Sampling templates	Templates			0.01

¹No other Aroclors were detected

< - Less than the method detection limit
PL - Present but Less than

TABLE 2

PCB AIR SAMPLE RESULTS
(micrograms per cubic meter)

LOCATION	FEBRUARY 1998			JANUARY 2001
	1260	1254	1016/1242	1260 ¹
Bliss Hall electric room	<0.25			<0.20,
Bliss Hall transformer vault	<0.25			<0.20
Gage Hall transformer vault	0.20			<0.20
Scudder Hall transformer vault	<0.20	0.20 PL		<0.20
Coykendall MER	<0.25	0.25 PL	0.25 PL	<0.20
Parker transformer vault	<0.25	0.25 PL	0.25 PL	<0.20
Parker electric room	<0.30	0.30 PL	0.30 PL	<0.20
Field Blank	ND	ND	ND	ND

¹ No other Aroclors were detected

< - Less than the method detection limit
 PL - Present but less than the amount indicated
 ND - Not detected

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 200100181 SAMPLE RECEIVED:01/18/2001 CHARGE: 4.00
 PROGRAM: 870:SUNY @ NEW PALTZ
 SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5559
 POLITICAL SUBDIVISION:NEW PALTZ COUNTY:ULSTER
 LATITUDE: LONGITUDE: Z DIRECTION:
 LOCATION: 356807N SUNY NEW PALTZ PCB SPILL
 DESCRIPTION:BLISS - B-ELEC RM, ELECTRIC RM CEILING BEAM
 REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
 TEST PATTERN: PCBWP:PCB'S IN WIPES
 SAMPLE TYPE: 947:SURFACE WIPE USING SOLVENT
 TIME OF SAMPLING: 01/09/2001 DATE PRINTED:02/16/2001

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
 DATE PRINTED: 02/16/2001

FINAL REPORT

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.05 MCG
AROCLOR 1016/1242	< 0.05 MCG
AROCLOR 1248	< 0.05 MCG
AROCLOR 1254	< 0.1 MCG
AROCLOR 1260	0.95 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762 (INORGANIC,NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
 COPIES SENT TO: CO(1), RO(), LPHE(), FED(), INFO-P(), INFO-L(), 405

DR. JOHN HAWLEY
 DIV. ENVIRONMENTAL HEALTH ASSESSMENT
 NY STATE DEPT. OF HEALTH
 FLANIGAN SQ., 547 RIVER ST.
 TROY ****INTERAGENCY MAIL****

SUBMITTED BY:KNUDSEN

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 200100180 SAMPLE RECEIVED: 01/18/2001 CHARGE: 4.00
 PROGRAM: 870: SUNY @ NEW PALTZ
 SOURCE ID: DRAINAGE BASIN: 13 GAZETTEER CODE: 5559
 POLITICAL SUBDIVISION: NEW PALTZ COUNTY: ULSTER
 LATITUDE: LONGITUDE: Z DIRECTION:
 LOCATION: 356807N - SUNY NEW PALTZ PCB SPILL
 DESCRIPTION: BLISS, B-EXT GR. BEAM, EXTERIOR GRADE BEAM
 REPORTING LAB: TOX: LAB FOR ORGANIC ANALYTICAL CHEMISTRY
 TEST PATTERN: PCBWP: PCB'S IN WIPES
 SAMPLE TYPE: 947: SURFACE WIPE USING SOLVENT
 TIME OF SAMPLING: 01/09/2001 DATE PRINTED: 02/16/2001

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
 DATE PRINTED: 02/16/2001 FINAL REPORT

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.05 MCG
AROCLOR 1016/1242	< 0.05 MCG
AROCLOR 1248	< 0.05 MCG
AROCLOR 1254	< 0.05 MCG
AROCLOR 1260	0.05 MCG [PL]
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762 (INORGANIC, NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
 COPIES SENT TO: CO(1), RO(), LPHE(), FED(), INFO-P(), INFO-L(), 405

DR. JOHN HAWLEY
 DIV. ENVIRONMENTAL HEALTH ASSESSMENT
 NY STATE DEPT. OF HEALTH
 FLANIGAN SQ., 547 RIVER ST.
 TROY ****INTERAGENCY MAIL****

SUBMITTED BY: KNUDSEN

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 200100184 SAMPLE RECEIVED:01/18/2001 CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5559
POLITICAL SUBDIVISION:NEW PALTZ COUNTY:ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N SUNY NEW PALTZ PCB SPILL
DESCRIPTION:GAGE, G-BEAM #1, VAULT DOOR BEAM
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP:PCB'S IN WIPES
SAMPLE TYPE: 947:SURFACE WIPE USING SOLVENT
TIME OF SAMPLING: 01/09/2001 DATE PRINTED:02/16/2001

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 02/16/2001

FINAL REPORT

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.05 MCG
AROCLOR 1016/1242	< 0.05 MCG
AROCLOR 1248	< 0.05 MCG
AROCLOR 1254	< 0.2 MCG
AROCLOR 1260	2.1 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762 (INORGANIC,NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(), LPHE(), FED(), INFO-P(), INFO-L(), 405

DR. JOHN HAWLEY
DIV. ENVIRONMENTAL HEALTH ASSESSMENT
NY STATE DEPT. OF HEALTH
FLANIGAN SQ., 547 RIVER ST.
TROY ****INTERAGENCY MAIL****

SUBMITTED BY:KNUDSEN

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 200100178 SAMPLE RECEIVED:01/18/2001 CHARGE: 4.00
 PROGRAM: 870:SUNY @ NEW PALTZ
 SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5559
 POLITICAL SUBDIVISION:NEW PALTZ COUNTY:ULSTER
 LATITUDE: LONGITUDE: Z DIRECTION:
 LOCATION: 356807N - SUNY NEW PALTZ PCB SPILL
 DESCRIPTION:SCUDDER, S-COLUMN, VAULT
 REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
 TEST PATTERN: PCBWP:PCB'S IN WIPES
 SAMPLE TYPE: 947:SURFACE WIPE USING SOLVENT
 TIME OF SAMPLING: 01/09/2001 DATE PRINTED:02/16/2001

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
 DATE PRINTED: 02/16/2001

FINAL REPORT

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.05 MCG
AROCLOR 1016/1242	< 0.05 MCG
AROCLOR 1248	< 0.05 MCG
AROCLOR 1254	< 0.2 MCG
AROCLOR 1260	2.6 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762 (INORGANIC,NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
 COPIES SENT TO: CO(1), RO(), LPHE(), FED(), INFO-P(), INFO-L(), 405

DR. JOHN HAWLEY
 DIV. ENVIRONMENTAL HEALTH ASSESSMENT
 NY STATE DEPT. OF HEALTH
 FLANIGAN SQ., 547 RIVER ST.
 TROY ****INTERAGENCY MAIL****

SUBMITTED BY:KNUDSEN

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 200100177 SAMPLE RECEIVED:01/18/2001 CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5559
POLITICAL SUBDIVISION:NEW PALTZ COUNTY:ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ PCB SPILL
DESCRIPTION:SCUDDER, S-BEAM #1, VAULT E WALL BEAM
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP:PCB'S IN WIPES
SAMPLE TYPE: 947:SURFACE WIPE USING SOLVENT
TIME OF SAMPLING: 01/09/2001 DATE PRINTED:02/16/2001

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 02/16/2001 FINAL REPORT

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.05 MCG
AROCLOR 1016/1242	< 0.05 MCG
AROCLOR 1248	< 0.05 MCG
AROCLOR 1254	< 0.05 MCG
AROCLOR 1260	0.51 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762 (INORGANIC,NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(), LPHE(), FED(), INFO-P(), INFO-L(), 405

DR. JOHN HAWLEY
DIV. ENVIRONMENTAL HEALTH ASSESSMENT
NY STATE DEPT. OF HEALTH
FLANIGAN SQ., 547 RIVER ST.
TROY ****INTERAGENCY MAIL****

SUBMITTED BY:KNUDSEN

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 200100176 SAMPLE RECEIVED: 01/18/2001 CHARGE: 4.00
PROGRAM: 870: SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN: 13 GAZETTEER CODE: 5559
POLITICAL SUBDIVISION: NEW PALTZ COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ PCB SPILL
DESCRIPTION: SCUDDER, S-BEAM #2, VAULT W & S BEAMS
REPORTING LAB: TOX: LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP: PCB'S IN WIPES
SAMPLE TYPE: 947: SURFACE WIPE USING SOLVENT
TIME OF SAMPLING: 01/09/2001 DATE PRINTED: 02/16/2001

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 02/16/2001 FINAL REPORT

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.05 MCG
AROCLOR 1016/1242	< 0.05 MCG
AROCLOR 1248	< 0.05 MCG
AROCLOR 1254	< 0.1 MCG
AROCLOR 1260	1.0 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762 (INORGANIC, NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(), LPHE(), FED(), INFO-P(), INFO-L(), 405

DR. JOHN HAWLEY
DIV. ENVIRONMENTAL HEALTH ASSESSMENT
NY STATE DEPT. OF HEALTH
FLANIGAN SQ., 547 RIVER ST.
TROY ****INTERAGENCY MAIL****

SUBMITTED BY: KNUDSEN

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 200100169 SAMPLE RECEIVED:01/18/2001 CHARGE: 4.00
 PROGRAM: 870:SUNY @ NEW PALTZ
 SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5559
 POLITICAL SUBDIVISION:NEW PALTZ COUNTY:ULSTER
 LATITUDE: LONGITUDE: Z DIRECTION:
 LOCATION: 356807N - SUNY NEW PALTZ PCB SPILL
 DESCRIPTION:COYKENDALL, C-MER COL #2, ELECTRIC RM. COLUMNS
 REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
 TEST PATTERN: PCBWP:PCB'S IN WIPES
 SAMPLE TYPE: 947:SURFACE WIPE USING SOLVENT
 TIME OF SAMPLING: 01/09/2001 DATE PRINTED:02/16/2001

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
 DATE PRINTED: 02/16/2001

FINAL REPORT

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.05 MCG
AROCLOR 1016/1242	< 0.05 MCG
AROCLOR 1248	< 0.05 MCG
AROCLOR 1254	< 0.05 MCG
AROCLOR 1260	0.37 MCG
AREA OF WIPE IN SQUARE METER.	0.09 SQ. M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762 (INORGANIC,NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
 COPIES SENT TO: CO(1), RO(), LPHE(), FED(), INFO-P(), INFO-L(), 405

DR. JOHN HAWLEY
 DIV. ENVIRONMENTAL HEALTH ASSESSMENT
 NY STATE DEPT. OF HEALTH
 FLANIGAN SQ., 547 RIVER ST.
 TROY ***INTERAGENCY MAIL****

SUBMITTED BY:KNUDSEN

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 200100171 SAMPLE RECEIVED: 01/18/2001 CHARGE: 4.00
 PROGRAM: 870: SUNY @ NEW PALTZ
 SOURCE ID: DRAINAGE BASIN: 13 GAZETTEER CODE: 5559
 POLITICAL SUBDIVISION: NEW PALTZ COUNTY: ULSTER
 LATITUDE: LONGITUDE: Z DIRECTION:
 LOCATION: 356807N - SUNY NEW PALTZ PCB SPILL
 DESCRIPTION: COYKENDALL, C-MER WALL #1, E. VAULT WALL
 REPORTING LAB: TOX: LAB FOR ORGANIC ANALYTICAL CHEMISTRY
 TEST PATTERN: PCBWP: PCB'S IN WIPES
 SAMPLE TYPE: 947: SURFACE WIPE USING SOLVENT
 TIME OF SAMPLING: 01/09/2001 DATE PRINTED: 02/16/2001

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
 DATE PRINTED: 02/16/2001

FINAL REPORT

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.05 MCG
AROCLOR 1016/1242	< 0.05 MCG
AROCLOR 1248	< 0.05 MCG
AROCLOR 1254	< 0.05 MCG
AROCLOR 1260	0.44 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762 (INORGANIC, NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
 COPIES SENT TO: CO(1), RO(), LPHE(), FED(), INFO-P(), INFO-L(), 405

DR. JOHN HAWLEY
 DIV. ENVIRONMENTAL HEALTH ASSESSMENT
 NY STATE DEPT. OF HEALTH
 FLANIGAN SQ., 547 RIVER ST.
 TROY *****INTERAGENCY MAIL*****

SUBMITTED BY: KNUDSEN

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 200100164 SAMPLE RECEIVED: 01/18/2001 CHARGE: 4.00
PROGRAM: 870: SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN: 13 GAZETTEER CODE: 5559
POLITICAL SUBDIVISION: NEW PALTZ COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ PCB SPILL
DESCRIPTION: PARKER, P-LOADD1, LOADING DOCK TAE (ILLEGIBLE) ✓
REPORTING LAB: TOX: LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP: PCB'S IN WIPES
SAMPLE TYPE: 947: SURFACE WIPE USING SOLVENT
TIME OF SAMPLING: 01/16/2001 DATE PRINTED: 02/16/2001

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 02/16/2001 FINAL REPORT

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.05 MCG
AROCLOR 1016/1242	< 0.05 MCG
AROCLOR 1248	< 0.05 MCG
AROCLOR 1254	< 0.05 MCG
AROCLOR 1260	0.05 MCG [PL]
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****

MAR - 1

NYS ELAP ID'S: 10762 (INORGANIC, NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
COPIES SENT TO: CO (1), RO (), LPHE (), FED (), INFO-P (), INFO-L (), 405

DR. JOHN HAWLEY
DIV. ENVIRONMENTAL HEALTH ASSESSMENT
NY STATE DEPT. OF HEALTH
FLANIGAN SQ., 547 RIVER ST.
TROY ****INTERAGENCY MAIL****

SUBMITTED BY: KNUDSEN

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 200100166 SAMPLE RECEIVED: 01/18/2001 CHARGE: 4.00
 PROGRAM: 870: SUNY @ NEW PALTZ
 SOURCE ID: DRAINAGE BASIN: 13 GAZETTEER CODE: 5559
 POLITICAL SUBDIVISION: NEW PALTZ COUNTY: ULSTER
 LATITUDE: LONGITUDE: Z DIRECTION:
 LOCATION: 356807N - SUNY NEW PALTZ PCB SPILL
 DESCRIPTION: PARKER, P-ELEC RM #1, ELEC. RM. S & W WALL
 REPORTING LAB: TOX: LAB FOR ORGANIC ANALYTICAL CHEMISTRY
 TEST PATTERN: PCBWP: PCB'S IN WIPES
 SAMPLE TYPE: 947: SURFACE WIPE USING SOLVENT
 TIME OF SAMPLING: 01/09/2001 DATE PRINTED: 02/16/2001

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
 DATE PRINTED: 02/16/2001 FINAL REPORT

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.05 MCG
AROCLOR 1016/1242	< 0.05 MCG
AROCLOR 1248	< 0.05 MCG
AROCLOR 1254	< 0.05 MCG
AROCLOR 1260	0.10 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762 (INORGANIC, NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
 COPIES SENT TO: CO(I), RO(), LPHE(), FED(), INFO-P(), INFO-L(), 405

DR. JOHN HAWLEY
 DIV. ENVIRONMENTAL HEALTH ASSESSMENT
 NY STATE DEPT. OF HEALTH
 FLANIGAN SQ., 547 RIVER ST.
 TROY ****INTERAGENCY MAIL****

SUBMITTED BY: KNUDSEN

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 200100165 SAMPLE RECEIVED:01/18/2001 CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5559
POLITICAL SUBDIVISION:NEW PALTZ COUNTY:ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ PCB SPILL
DESCRIPTION:PARKER, P-VAULT #1, VAULT E WALL ✓
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP:PCB'S IN WIPES
SAMPLE TYPE: 947:SURFACE WIPE USING SOLVENT
TIME OF SAMPLING: 01/09/2001 DATE PRINTED:02/16/2001

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 02/16/2001 FINAL REPORT

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.05 MCG
AROCLOR 1016/1242	< 0.05 MCG
AROCLOR 1248	< 0.05 MCG
AROCLOR 1254	< 0.05 MCG
AROCLOR 1260	0.40 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762 (INORGANIC,NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(), LPHE(), FED(), INFO-P(), INFO-L(), 405

DR. JOHN HAWLEY
DIV. ENVIRONMENTAL HEALTH ASSESSMENT
NY STATE DEPT. OF HEALTH
FLANIGAN SQ., 547 RIVER ST.
TROY ****INTERAGENCY MAIL****

SUBMITTED BY:KNUDSEN

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 200100168 SAMPLE RECEIVED:01/18/2001 CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5559
POLITICAL SUBDIVISION:NEW PALTZ COUNTY:ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ PCB SPILL
DESCRIPTION:PARKER, P-ELEC RM #2, ELEC. RM. N & E WALL
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP:PCB'S IN WIPES
SAMPLE TYPE: 947:SURFACE WIPE USING SOLVENT
TIME OF SAMPLING: 01/09/2001 DATE PRINTED:02/16/2001

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3) FINAL REPORT
DATE PRINTED: 02/16/2001

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.05 MCG
AROCLOR 1016/1242	< 0.05 MCG
AROCLOR 1248	< 0.05 MCG
AROCLOR 1254	< 0.05 MCG
AROCLOR 1260	0.14 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762 (INORGANIC,NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
COPIES SENT TO: CO.(1), RO(), LPHE(), FED(), INFO-P(), INFO-L(), 405

DR. JOHN HAWLEY
DIV. ENVIRONMENTAL HEALTH ASSESSMENT
NY STATE DEPT. OF HEALTH
FLANIGAN SQ., 547 RIVER ST.
TROY ****INTERAGENCY MAIL****

SUBMITTED BY:KNUDSEN

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 200100167 SAMPLE RECEIVED:01/18/2001 CHARGE: 4.00
 PROGRAM: 870:SUNY @ NEW PALTZ
 SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5559
 POLITICAL SUBDIVISION:NEW PALTZ COUNTY:ULSTER
 LATITUDE: LONGITUDE: Z DIRECTION:
 LOCATION: 356807N - SUNY NEW PALTZ PCB SPILL
 DESCRIPTION:PARKER, P-VAULT #2, VAULT S WALL
 REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
 TEST PATTERN: PCBWP:PCB'S IN WIPES
 SAMPLE TYPE: 947:SURFACE WIPE USING SOLVENT
 TIME OF SAMPLING: 01/09/2001 DATE PRINTED:02/16/2001

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
 DATE PRINTED: 02/16/2001

FINAL REPORT

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.05 MCG
AROCLOR 1016/1242	< 0.05 MCG
AROCLOR 1248	< 0.05 MCG
AROCLOR 1254	< 0.05 MCG
AROCLOR 1260	0.33 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762 (INORGANIC,NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
 COPIES SENT TO: CO(1), RO(), LPHE(), FED(), INFO-P(), INFO-L(), 405

DR. JOHN HAWLEY
 DIV. ENVIRONMENTAL HEALTH ASSESSMENT
 NY STATE DEPT. OF HEALTH
 FLANIGAN SQ., 547 RIVER ST.
 TROY ****INTERAGENCY MAIL****

SUBMITTED BY:KNUDSEN

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 200100187 SAMPLE RECEIVED:01/18/2001 CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5559
POLITICAL SUBDIVISION:NEW PALTZ COUNTY:ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N SUNY NEW PALTZ PCB SPILL
DESCRIPTION:BLANK
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP:PCB'S IN WIPES
SAMPLE TYPE: 297:TRIP BLANK - ORIGINATES IN LABORATORY
TIME OF SAMPLING: 01/09/2001 DATE PRINTED:02/16/2001

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3) FINAL REPORT
DATE PRINTED: 02/16/2001

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	[ND]
AROCLOR 1016/1242	[ND]
AROCLOR 1248	[ND]
AROCLOR 1254	[ND]
AROCLOR 1260	[ND]
AREA OF WIPE IN SQUARE METER	BLANK

**** END OF REPORT ****

NYS ELAP ID'S: 10762 (INORGANIC,NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(), LPHE(), FED(), INFO-P(), INFO-L(), 405

DR. JOHN HAWLEY
DIV. ENVIRONMENTAL HEALTH ASSESSMENT
NY STATE DEPT. OF HEALTH
FLANIGAN SQ., 547 RIVER ST.
TROY ****INTERAGENCY MAIL****

SUBMITTED BY:KNUDSEN

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 200100185 SAMPLE RECEIVED:01/18/2001 CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5559
POLITICAL SUBDIVISION:NEW PALTZ COUNTY:ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N SUNY NEW PALTZ PCB SPILL
DESCRIPTION:TEMPLATES (2)
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP:PCB'S IN WIPES
SAMPLE TYPE: 947:SURFACE WIPE USING SOLVENT
TIME OF SAMPLING: 01/16/2001 DATE PRINTED:02/16/2001

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3) FINAL REPORT
DATE PRINTED: 02/16/2001

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.05 MCG
AROCLOR 1016/1242	< 0.05 MCG
AROCLOR 1248	< 0.05 MCG
AROCLOR 1254	< 0.05 MCG
AROCLOR 1260	0.06 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(), LPHE(), FED(), INFO-P(), INFO-L(), 405

DR. JOHN HAWLEY
DIV. ENVIRONMENTAL HEALTH ASSESSMENT
NY STATE DEPT. OF HEALTH
FLANIGAN SQ., 547 RIVER ST.
TROY ****INTERAGENCY MAIL****

SUBMITTED BY:KNUDSEN

Mark Knudsen

0461

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

019

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 200100156 SAMPLE RECEIVED: 01/18/2001 CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN: 13 GAZETTEER CODE: 5559
POLITICAL SUBDIVISION: NEW PALTZ COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ PCB SPILL
DESCRIPTION: BLISS VAULT
REPORTING LAB: TOX: LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBA: PCBs in AIR
SAMPLE TYPE: 902: AMBIENT AIR - INDOOR
TIME OF SAMPLING: 01/16/2001 09:15 TO 01/16/2001 13:15 DATE PRINTED: 02/06/2001

ANALYSIS: PCBA PCBs IN AIR (DES 311-1) FINAL REPORT
DATE PRINTED: 02/06/2001

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.2 MCG/CU.M.
AROCLOR 1016/1242	< 0.2 MCG/CU.M.
AROCLOR 1248	< 0.2 MCG/CU.M.
AROCLOR 1254	< 0.2 MCG/CU.M.
AROCLOR 1260	< 0.2 MCG/CU.M.
AIR VOLUME	0.220 CU.M.

**** END OF REPORT ****

FEB 18

NYS ELAP ID'S: 10762 (INORGANIC, NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(), LPHE(), FED(), INFO-P(), INFO-L(), 405

DR. JOHN HAWLEY
DIV. ENVIRONMENTAL HEALTH ASSESSMENT
NY STATE DEPT. OF HEALTH
FLANIGAN SQ., 547 RIVER ST.
TROY ****INTERAGENCY MAIL****

SUBMITTED BY: KNUDSEN

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 200100157 SAMPLE RECEIVED:01/18/2001 CHARGE: 4.00
 PROGRAM: 870:SUNY @ NEW PALTZ
 SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5559
 POLITICAL SUBDIVISION:NEW PALTZ COUNTY:ULSTER
 LATITUDE: LONGITUDE: Z DIRECTION:
 LOCATION: 356807N - SUNY NEW PALTZ PCB SPILL
 DESCRIPTION:GAGE VAULT
 REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
 TEST PATTERN: PCBA:PCBs in AIR
 SAMPLE TYPE: 902:AMBIENT AIR - INDOOR
 TIME OF SAMPLING: 01/16/2001 09:35 TO 01/16/2001 13:25 DATE PRINTED:02/06/2001

ANALYSIS: PCBA PCBs IN AIR (DES 311-1)
 DATE PRINTED: 02/06/2001 FINAL REPORT

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.2 MCG/CU.M.
AROCLOR 1016/1242	< 0.2 MCG/CU.M.
AROCLOR 1248	< 0.2 MCG/CU.M.
AROCLOR 1254	< 0.2 MCG/CU.M.
AROCLOR 1260	< 0.2 MCG/CU.M.
AIR VOLUME	0.292 CU.M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762 (INORGANIC,NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
 COPIES SENT TO: CO(1), RO(), LPHE(), FED(), INFO-P(), INFO-L(), 405

DR. JOHN HAWLEY
 DIV. ENVIRONMENTAL HEALTH ASSESSMENT
 NY STATE DEPT. OF HEALTH
 FLANIGAN SQ., 547 RIVER ST.
 TROY ****INTERAGENCY MAIL****

SUBMITTED BY:KNUDSEN

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 200100159 SAMPLE RECEIVED:01/18/2001 CHARGE: 4.00
 PROGRAM: 870:SUNY @ NEW PALTZ
 SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5559
 POLITICAL SUBDIVISION:NEW PALTZ COUNTY:ULSTER
 LATITUDE: LONGITUDE: Z DIRECTION:
 LOCATION: 356807N - SUNY NEW PALTZ PCB SPILL
 DESCRIPTION:SCUDDER VAULT
 REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
 TEST PATTERN: PCBA:PCBs in AIR
 SAMPLE TYPE: 902:AMBIENT AIR - INDOOR
 TIME OF SAMPLING: 01/16/2001 13:05 TO 01/16/2001 17:00 DATE PRINTED:02/06/2001

ANALYSIS: PCBA PCBs IN AIR (DES 311-1)
 DATE PRINTED: 02/06/2001 FINAL REPORT

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.2 MCG/CU.M.
AROCLOR 1016/1242	< 0.2 MCG/CU.M.
AROCLOR 1248	< 0.2 MCG/CU.M.
AROCLOR 1254	< 0.2 MCG/CU.M.
AROCLOR 1260	< 0.2 MCG/CU.M.
AIR VOLUME	0.306 CU.M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762 (INORGANIC,NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
 COPIES SENT TO: CO(1), RD(), LPHE(), FED(), INFO-P(), INFO-L(), 405

DR. JOHN HAWLEY
 DIV. ENVIRONMENTAL HEALTH ASSESSMENT
 NY STATE DEPT. OF HEALTH
 FLANIGAN SQ., 547 RIVER ST.
 TROY ***INTERAGENCY MAIL***

SUBMITTED BY:KNUDSEN

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 200100160 SAMPLE RECEIVED: 01/18/2001 CHARGE: 4.00
 PROGRAM: 870: SUNY @ NEW PALTZ
 SOURCE ID: DRAINAGE BASIN: 13 GAZETTEER CODE: 5559
 POLITICAL SUBDIVISION: NEW PALTZ COUNTY: ULSTER
 LATITUDE: LONGITUDE: Z DIRECTION:
 LOCATION: 356807N - SUNY NEW PALTZ PCB SPILL
 DESCRIPTION: COYKINDALL VAULT
 REPORTING LAB: TOX: LAB FOR ORGANIC ANALYTICAL CHEMISTRY
 TEST PATTERN: PCBA: PCBs in AIR
 SAMPLE TYPE: 902: AMBIENT AIR - INDOOR
 TIME OF SAMPLING: 01/16/2001 13:55 TO 01/16/2001 18:00 DATE PRINTED: 02/06/2001

ANALYSIS: PCBA PCBs IN AIR (DES 311-1) FINAL REPORT
 DATE PRINTED: 02/06/2001

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.2 MCG/CU.M.
AROCLOR 1016/1242	< 0.2 MCG/CU.M.
AROCLOR 1248	< 0.2 MCG/CU.M.
AROCLOR 1254	< 0.2 MCG/CU.M.
AROCLOR 1260	< 0.2 MCG/CU.M.
AIR VOLUME	0.212 CU.M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762 (INORGANIC, NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
 COPIES SENT TO: CO(1), RO(), LPHE(), FED(), INFO-P(), INFO-L(), 405

DR. JOHN HAWLEY
 DIV. ENVIRONMENTAL HEALTH ASSESSMENT
 NY STATE DEPT. OF HEALTH
 FLANIGAN SQ., 547 RIVER ST.
 TROY ****INTERAGENCY MAIL****

SUBMITTED BY: KNUDSEN

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 200100161 SAMPLE RECEIVED: 01/18/2001 CHARGE: 4.00
 PROGRAM: 870: SUNY @ NEW PALTZ
 SOURCE ID: DRAINAGE BASIN: 13 GAZETTEER CODE: 5559
 POLITICAL SUBDIVISION: NEW PALTZ COUNTY: ULSTER
 LATITUDE: LONGITUDE: Z DIRECTION:
 LOCATION: 356807N - SUNY NEW PALTZ PCB SPILL
 DESCRIPTION: PARKER VAULT
 REPORTING LAB: TOX: LAB FOR ORGANIC ANALYTICAL CHEMISTRY
 TEST PATTERN: PCBA: PCBs in AIR
 SAMPLE TYPE: 902: AMBIENT AIR - INDOOR
 TIME OF SAMPLING: 01/16/2001 13:30 TO 01/16/2001 17:20 DATE PRINTED: 02/06/2001

ANALYSIS: PCBA PCBs IN AIR (DES 311-1) DATE PRINTED: 02/06/2001 FINAL REPORT

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.2 MCG/CU.M.
AROCLOR 1016/1242	< 0.2 MCG/CU.M.
AROCLOR 1248	< 0.2 MCG/CU.M.
AROCLOR 1254	< 0.2 MCG/CU.M.
AROCLOR 1260	< 0.2 MCG/CU.M.
AIR VOLUME	0.290 CU.M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762 (INORGANIC, NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
 COPIES SENT TO: CO(1), RO(), LPHE(), FED(), INFO-P(), INFO-L(), 405

DR. JOHN HAWLEY
 DIV. ENVIRONMENTAL HEALTH ASSESSMENT
 NY STATE DEPT. OF HEALTH
 FLANIGAN SQ., 547 RIVER ST.
 TROY ****INTERAGENCY MAIL****

SUBMITTED BY: KNUDSEN

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 200100162 SAMPLE RECEIVED:01/18/2001 CHARGE: 4.00
 PROGRAM: 870:SUNY @ NEW PALTZ
 SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5559
 POLITICAL SUBDIVISION:NEW PALTZ COUNTY:ULSTER
 LATITUDE: LONGITUDE: Z DIRECTION:
 LOCATION: 356807N - SUNY NEW PALTZ PCB SPILL
 DESCRIPTION:PARKER ELECTRIC ROOM
 REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
 TEST PATTERN: PCBA:PCBs in AIR
 SAMPLE TYPE: 902:AMBIENT AIR - INDOOR
 TIME OF SAMPLING: 01/16/2001 09:35 TO 01/16/2001 13:30 DATE PRINTED:02/06/2001

ANALYSIS: PCBA PCBs IN AIR (DES 311-1)
 DATE PRINTED: 02/06/2001 FINAL REPORT

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.2 MCG/CU.M.
AROCLOR 1016/1242	< 0.2 MCG/CU.M.
AROCLOR 1248	< 0.2 MCG/CU.M.
AROCLOR 1254	< 0.2 MCG/CU.M.
AROCLOR 1260	< 0.2 MCG/CU.M.
AIR VOLUME	0.309 CU.M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762 (INORGANIC,NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
 COPIES SENT TO: CO(1), RO(), LPHE(), FED(), INFO-P(), INFO-L(), 405

DR. JOHN HAWLEY
 DIV. ENVIRONMENTAL HEALTH ASSESSMENT
 NY STATE DEPT. OF HEALTH
 FLANIGAN SQ., 547 RIVER ST.
 TROY ****INTERAGENCY MAIL****

SUBMITTED BY:KNUDSEN

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 200100163 SAMPLE RECEIVED:01/18/2001 CHARGE: 4.00
 PROGRAM: 870:SUNY @ NEW PALTZ
 SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:5559
 POLITICAL SUBDIVISION:NEW PALTZ COUNTY:ULSTER
 LATITUDE: LONGITUDE: Z DIRECTION:
 LOCATION: 356807N - SUNY NEW PALTZ PCB SPILL
 DESCRIPTION:BLANK
 REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
 TEST PATTERN: PCBA:PCBs in AIR
 SAMPLE TYPE: 950:CONTROL - AIR CARTRIDGE BLANK
 TIME OF SAMPLING: 01/16/2001 DATE PRINTED:02/06/2001

ANALYSIS: PCBA PCBs IN AIR (DES 311-1)
 DATE PRINTED: 02/06/2001 FINAL REPORT

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	[ND]
AROCLOR 1016/1242	[ND]
AROCLOR 1248	[ND]
AROCLOR 1254	[ND]
AROCLOR 1260	[ND]
AIR VOLUME	BLANK

**** END OF REPORT ****

NYS ELAP ID'S: 10762 (INORGANIC,NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
 COPIES SENT TO: CO(1), RO(), LPHE(), FED(), INFO-P(), INFO-L(), 405

DR. JOHN HAWLEY
 DIV. ENVIRONMENTAL HEALTH ASSESSMENT
 NY STATE DEPT. OF HEALTH
 FLANIGAN SQ., 547 RIVER ST.
 TROY ****INTERAGENCY MAIL****

SUBMITTED BY:KNUDSEN