



STATE OF NEW YORK DEPARTMENT OF HEALTH

Office of Public Health

II University Place

Albany, New York 12203-3399

Barbara A. DeBuono, M.D., M.P.H.
Commissioner

Karen Schimke
Executive Deputy Commissioner

March 20, 1998

Arnold Bernadini
Assistant Vice President
For Facilities and Planning
SUNY College at New Paltz
75 South Mannheim Boulevard
New Paltz, N.Y. 12561

Dear Mr. Bernadini:

The analytical results of the PCB wipe and air samples are enclosed. These samples were collected on September 9 and 10, 1997 from surfaces in five campus buildings that were encapsulated because they could not be cleaned, or removed, to comply with the project clean up criteria. This testing was done in conformance with the protocol described in the Clean Harbors Environmental Services report of May 30, 1996.

Air samples were collected in 8 transformer and electrical rooms. Wipe samples were collected in 23 locations in and near these rooms. Sampling and analysis was conducted in accordance with the established project clean up protocols and generally accepted methods for environmental sampling. All samples were analyzed by the New York State Department of Health Laboratory.

The levels of PCB Aroclor 1260 in the wipe samples ranged from less than 0.05 micrograms per 100 centimeter square (MCG/100 cm. sq.) to 0.32 MCG/100 cm. sq. More than half the samples had levels at or below 0.05 MCG/100 cm.sq. None of the wipe samples exceeded the PCB clean up criterion of 1 MCG/100 cm. sq. A level of 2.2 MCG/100 cm. sq. was detected in a field blank. A field blank is a quality control sample that is kept with other environmental samples but is not exposed to contamination. It is used to test sampling materials and procedures for contamination from sources other than the subject test area. The dry gauze pad used as a field blank for this sampling was not provided by the laboratory and therefore had not been extracted to remove impurities prior to use in the field. Therefore, the likely sources of PCBs in this sample are the binders used in manufacture of the pad and contact with the plastic wrapping during storage and handling. Wipe sample results are summarized in Table 1.

All PCB air levels were below the project clean up criterion of 1 microgram per cubic meter (MCG/M3). Results for PCB air samples collected in September 1997 are summarized in Table 2. Only the sample collected in the Gage Hall transformer vault had a level of Aroclor 1260 above the method detection limit (MDL). The MDL is the lowest level of chemical (in this case PCB Aroclor 1260) that could be detected by the laboratory instrument and method used for the analysis. All other samples had detectable levels of Aroclor 1254. Air sample results for PCB Aroclor 1260 for the years 1993 to 1997 are summarized in Table 3. Of the more than 500 air samples that have been analyzed more than 65% had levels below MDLs. More than 81% of the samples collected in Parker Theater had levels below the MDL. No PCB Aroclor 1260 has been detected above the clean up criterion in air samples collected in areas with encapsulated surfaces.

A preliminary review of the 1993 to 1997 wipe and air sample results indicated that Aroclors 1016/1242 and 1254 were sometimes detected in both media in samples collected from the same location. The NYS Department of Health Laboratory analyzed fluid from transformers in Parker Theater, Scudder Hall and Coykendall Science Building 1992. 100% of the fluid in the Parker and Coykendall transformers was identified as PCB Aroclor 1260. 60% of the Scudder transformer fluid was identified as Aroclor 1260. A chemist in the Health Department Laboratory reported that the presence of other Aroclors in wipe and air samples is probably not due to weathering and breakdown of Aroclor 1260 since a characteristic pattern of decay is not evident. Detection of these Aroclors may be due to the presence, in the areas sampled, of other PCB containing compounds from sources such as fluorescent light ballasts, cleaning compounds and electrical capacitors.

Analysis of the February 1998 wipe and air samples has been completed and the results will be forwarded to you within one week. If you have any questions please call me at (914) 794-2045.

Sincerely,



Mark Knudsen

Regional Toxics Coordinator

Encl.

Cc: J. Hawley
S. Bates
A. Dumas
J. Coffey
B. McCabe

TABLE 1
PCB WIPE SAMPLE RESULTS
9-10-97
(micrograms per 100 centimeter square)

LOCATION	SAMPLE ID	
BLISS HALL		
Electric room ceiling beam	B-Elect Room	0.32
Vault, S beam & W column	B-Vault #1	<0.05 ¹
Vault, W beam & column	B-Vault #2	0.05
Exterior grade beam	B-Ext Grade Beam	<0.05
GAGE HALL		
Vault, S door beam	G-Beam #1	0.14
Vault, door columns	G-Column #1	0.42
SCUDDER HALL		
Vault, S column	S-Column	0.24
Vault, E wall beam	S-Beam #1	0.18
Vault, W & S beams	S-Beam #2	0.14
COYKENDALL		
Electric room columns	C-Mer Column #1	<0.05
Electric room columns	C-Mer Column #2	0.25 ²
Vault, E wall	C-Mer Wall #1	<0.05
Electric room E wall	C-Mer Wall #2	0.06
Electric room ceiling	C-Mer Ceiling #1	<0.04
Vault & Elec room ceilings	C-Mer Ceiling #2	<0.05
Vault & Elec room beams	C-Mer Beam	0.07
PARKER		
Loading dock face	P-Loadd 1	<0.05
Loading dock face	P-Loadd 2	<0.05
Exterior vault beam	P-Vault Beam	<0.05
Elec room S & W wall	P-Elec Room #1	<0.05
Elec room N & E wall	P-Elec Room #2	<0.05
Vault E wall	P-Vault #1	0.06
Vault S wall	P-Vault #2	0.05

¹ < =Less than the method detection limit

² Aroclors 1016/1242 were detected in this sample at a level of <0.05 mcg/100sq. cm.

TABLE 2
PCB AIR SAMPLE RESULTS
9-10-97
 (micrograms per cubic meter)

LOCATION	AROCLOR 1260	AROCLOR 1254
Bliss Hall electric room	<0.15 ¹	0.27
Bliss Hall transformer vault	<0.20	0.24
Gage Hall transformer vault	0.16	<0.15
Scudder Hall transformer vault	<0.20	0.53
Coykendall MER	<0.25	0.30
Parker Transformer vault	<0.25	0.40
Parker Electric Room	<0.25	0.48
Field Blank	ND ²	ND

¹ < = Less than the method detection limit

² Not detected

TABLE 3
PCB AROCLOR 1260 AIR SAMPLE RESULT SUMMARY
1993 - 1997

BUILDING	TOTAL NUMBER OF SAMPLES	NUMBER LESS THAN MDL ¹	% LESS THAN MDL
GAGE	93	57	61.2
SCUDDER	93	40	43.0
BLISS	76	55	72.3
PARKER	164	134	81.7
COYKENDALL	78	44	56.4
TOTALS	504	330	65.4

¹ MDL = Minimum detection limit. MDL for samples collected during this period ranged from 0.02 micrograms per cubic meter (MCG/M3) to 0.35 MCG/M3.

1518

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701904 SAMPLE RECEIVED: 97/09/12/ CHARGE: 4.00
 PROGRAM: 870:SUNY @ NEW PALTZ
 SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE: 5522
 POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
 LATITUDE: LONGITUDE: Z DIRECTION:
 LOCATION: 356807N - SUNY NEW PALTZ
 DESCRIPTION: BLISS HALL ELECTRICAL ROOM
 DESCRIPTION: CART #109676, 109666
 REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
 TEST PATTERN: PCBA:PCBs in AIR
 SAMPLE TYPE: 902:AMBIENT AIR - INDOOR
 TIME OF SAMPLING: 97/09/10 : DATE PRINTED: 97/09/29

ANALYSIS: PCBA PCBs IN AIR (DES 311-1)
 DATE PRINTED: 97/09/29



FINAL REPORT

-----PARAMETER-----

-----RESULT-----

AROCLOR 1221	< 0.15 MCG/CU.M.
AROCLOR 1016/1242	< 0.15 MCG/CU.M.
AROCLOR 1248	< 0.15 MCG/CU.M.
AROCLOR 1254	0.27 MCG/CU.M.
AROCLOR 1260	< 0.15 MCG/CU.M.
AIR VOLUME	0.340 CU.M.

**** END OF REPORT ****



NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
 COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN
 C/O NY STATE DEPARTMENT OF HEALTH
 MONTICELLO DISTRICT OFFICE
 6 PRINCE ST.
 MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

1520

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701905 SAMPLE RECEIVED: 97/09/12/ CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN: 13 GAZETTEER CODE: 5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION: BLISS HALL TRANSFORMER VAULT CART #109663, 190668
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBA:PCBs in AIR
SAMPLE TYPE: 902:AMBIENT AIR - INDOOR
TIME OF SAMPLING: 97/09/10 DATE PRINTED: 97/09/29

ANALYSIS: PCBA PCBs IN AIR (DES 311-1)
DATE PRINTED: 97/09/29


FINAL REPORT

-----PARAMETER-----

-----RESULT-----

AROCLO 1221 < 0.20 MCG/CU.M.
AROCLO 1016/1242 < 0.20 MCG/CU.M.
AROCLO 1248 < 0.20 MCG/CU.M.
AROCLO 1254 0.24 MCG/CU.M.
AROCLO 1260 < 0.20 MCG/CU.M.
AIR VOLUME 0.230 CU.M.

*** END OF REPORT ***



NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN

C/O NY STATE DEPARTMENT OF HEALTH

MONTICELLO DISTRICT OFFICE

6 PRINCE ST.
MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

1522

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701906 SAMPLE RECEIVED: 97/09/12/ CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5522
POLITICAL SUBDIVISION:NEW PALTZ V. COUNTY:ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION: PARKER THEATER, ELECTRIC ROOM CART #109661, 190673
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBA:PCBs in AIR
SAMPLE TYPE: 902:AMBIENT AIR - INDOOR
TIME OF SAMPLING: 97/09/10 : DATE PRINTED: 97/09/29

ANALYSIS: PCBA PCBs IN AIR (DES 311-1)
DATE PRINTED: 97/09/29


FINAL REPORT

-----PARAMETER-----

-----RESULT-----

AROCLOR 1221	< 0.25 MCG/CU.M.
AROCLOR 1016/1242	< 0.25 MCG/CU.M.
AROCLOR 1248	< 0.25 MCG/CU.M.
AROCLOR 1254	0.48 MCG/CU.M.
AROCLOR 1260	< 0.25 MCG/CU.M.
AIR VOLUME	0.210 CU.M.

**** END OF REPORT ****



NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN
C/O NY STATE DEPARTMENT OF HEALTH
MONTICELLO DISTRICT OFFICE
6 PRINCE ST.
MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

1524

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701907 SAMPLE RECEIVED: 97/09/12/ CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN: 13 GAZETTEER CODE: 5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION: PARKER THEATER TRANSFORMER VAULT CART #109664, 109665
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBA:PCBs in AIR
SAMPLE TYPE: 902:AMBIENT AIR - INDOOR
TIME OF SAMPLING: 97/09/10 : DATE PRINTED: 97/09/29

ANALYSIS: PCBA PCBs IN AIR (DES 311-1)
DATE PRINTED: 97/09/29 FINAL REPORT


-----PARAMETER-----

AROCLOL 1221
AROCLOL 1016/1242
AROCLOL 1248
AROCLOL 1254
AROCLOL 1260
AIR VOLUME

-----RESULT-----

< 0.25 MCG/CU.M.
< 0.25 MCG/CU.M.
< 0.25 MCG/CU.M.
0.40 MCG/CU.M.
< 0.25 MCG/CU.M.
0.200 CU.M.

**** END OF REPORT ****



NYS ELAP ID'S: 10762 (INORGANIC, NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN
C/O NY STATE DEPARTMENT OF HEALTH
MONTICELLO DISTRICT OFFICE
6 PRINCE ST.
MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

1526

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701908 SAMPLE RECEIVED: 97/09/12 CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION: SCUDDER HALL TRANSFORMER VAULT
DESCRIPTION: CART #109670, 109667
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBA:PCBs in AIR
SAMPLE TYPE: 902:AMBIENT AIR - INDOOR
TIME OF SAMPLING: 97/09/10 : DATE PRINTED: 97/09/29

ANALYSIS: PCBA PCBs IN AIR (DES 311-1) DATE PRINTED: 97/09/29 FINAL REPORT

-----PARAMETER-----

AROCLOR 1221 0.20 MCG/CU.M.
AROCLOR 1016/1242 < 0.20 MCG/CU.M.
AROCLOR 1248 < 0.20 MCG/CU.M.
AROCLOR 1254 0.53 MCG/CU.M.
AROCLOR 1260 < 0.20 MCG/CU.M.
AIR VOLUME 0.260 CU.M.

-----RESULT-----

**** END OF REPORT ****



NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), EPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN
C/O NY STATE DEPARTMENT OF HEALTH
MONTICELLO DISTRICT OFFICE
6 PRINCE ST.
MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

1528

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701909 SAMPLE RECEIVED: 97/09/12/ CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN: 13 GAZETTEER CODE: 5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION: GAGE HALL TRANSFORMER VAULT CART #109660, 190662
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBA:PCBs in AIR
SAMPLE TYPE: 902: AMBIENT AIR - INDOOR
TIME OF SAMPLING: 97/09/10 : DATE PRINTED: 97/09/29

ANALYSIS: PCBA PCBs IN AIR (DES 311-1)
DATE PRINTED: 97/09/29


FINAL REPORT

-----PARAMETER-----

-----RESULT-----

AROCLOL 1221 < 0.15 MCG/CU.M.
AROCLOL 1016/1242 < 0.15 MCG/CU.M.
AROCLOL 1248 < 0.15 MCG/CU.M.
AROCLOL 1254 < 0.15 MCG/CU.M.
AROCLOL 1260 0.16 MCG/CU.M.
AIR VOLUME 0.340 CU.M.

**** END OF REPORT ****



NYS ELAP ID'S: 10762 (INORGANIC, NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN
C/O NY STATE DEPARTMENT OF HEALTH
MONTICELLO DISTRICT OFFICE
6 PRINCE ST.
MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

1530

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION


FINAL REPORT

SAMPLE ID: 9701910 : SAMPLE RECEIVED: 97/09/12/ CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY:ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION: COYKENDALL SCIENCE BLDG MER
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBA:PCBs in AIR
SAMPLE TYPE: 902:AMBIENT AIR - INDOOR
TIME OF SAMPLING: 97/09/10 : DATE PRINTED: 97/09/29

ANALYSIS: PCBA PCBs IN AIR (DES 311-1)
DATE PRINTED: 97/09/29 FINAL REPORT

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.25 MCG/CU.M.
AROCLOR 1016/1242	< 0.25 MCG/CU.M.
AROCLOR 1248	< 0.25 MCG/CU.M.
AROCLOR 1254	0.30 MCG/CU.M.
AROCLOR 1260	< 0.25 MCG/CU.M.
AIR VOLUME	0.200 CU.M.

**** END OF REPORT ****



NYS ELAP ID'S: 10762 (INORGANIC, NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN
C/O NY STATE DEPARTMENT OF HEALTH
MONTICELLO DISTRICT OFFICE
6 PRINCE ST.
MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

1532

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701911 SAMPLE RECEIVED: 97/09/12/ CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5522
POLITICAL SUBDIVISION:NEW PALTZ V. COUNTY:ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION:FIELD BLANK
DESCRIPTION:CART #109672,109671
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBA:PCBs in AIR
SAMPLE TYPE: 285:FIELD BLANK - ORIGINATES IN THE FIELD
TIME OF SAMPLING: 97/09/10 DATE PRINTED: 97/09/29

ANALYSIS: PCBA PCBs IN AIR (DES 311-1)
DATE PRINTED: 97/09/29

FINAL REPORT

-----PARAMETER-----

-----RESULT-----

AROCLOL 1221 [ND]
AROCLOL 1016/1242 [ND]
AROCLOL 1248 [ND]
AROCLOL 1254 [ND]
AROCLOL 1260 [ND]

AIR VOLUME NONE

**** END OF REPORT ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405


MARK KNUDSEN

C/O NY STATE DEPARTMENT OF HEALTH

MONTICELLO DISTRICT OFFICE

6 PRINCE ST.

MONTICELLO, NY 12701



SUBMITTED BY: KNUDSEN

0850

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT


SAMPLE ID: 9701912 SAMPLE RECEIVED: 97/09/12/ CHARGE: 4.00
PROGRAM: 870: SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN: 13 GAZETTEER CODE: 5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION: PARKER THEATER, P-ELEC RM #1
REPORTING LAB: TOX: LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP: PCB'S IN WIPES
SAMPLE TYPE: 942: SOOT
TIME OF SAMPLING: 97/09/10 DATE PRINTED: 97/10/10

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 97/10/10

FINAL REPORT

-----PARAMETER-----	-----RESULT-----
AROCLOL 1221	< 0.05 MCG
AROCLOL 1016/1242	< 0.05 MCG
AROCLOL 1248	< 0.05 MCG
AROCLOL 1254	< 0.05 MCG
AROCLOL 1260	0.18 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****



NYS ELAP ID'S: 10762 (INORGANIC, NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN
C/O NY STATE DEPARTMENT OF HEALTH
MONTICELLO DISTRICT OFFICE
6 PRINCE ST.
MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

0852

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701913 SAMPLE RECEIVED: 97/09/12 CHARGE: 4.00
 PROGRAM: 870:SUNY @ NEW PALTZ
 SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5522
 POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY:ULSTER
 LATITUDE: LONGITUDE: Z DIRECTION:
 LOCATION: 356807N - SUNY NEW PALTZ
 DESCRIPTION: PARKER THEATER, P-ELEC RM #2
 REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
 TEST PATTERN: PCBWP:PCB'S IN WIPES
 SAMPLE TYPE: 942:SOOT
 TIME OF SAMPLING: 97/09/10 DATE PRINTED: 97/10/10

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
 DATE PRINTED: 97/10/10

FINAL REPORT

-----PARAMETER-----

-----RESULT-----

AROCLOL 1221	< 0.05 MCG
AROCLOL 1016/1242	< 0.05 MCG
AROCLOL 1248	< 0.05 MCG
AROCLOL 1254	< 0.05 MCG
AROCLOL 1260	0.15 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****



NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
 COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN
 C/O NY STATE DEPARTMENT OF HEALTH
 MONTICELLO DISTRICT OFFICE
 6 PRINCE ST.
 MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

0854

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701914 SAMPLE RECEIVED: 97/09/12 CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN: 13 GAZETTEER CODE: 5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION: PARKER THEATER, P VAULT #2
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP:PCB'S IN WIPES
SAMPLE TYPE: 942:SOOT
TIME OF SAMPLING: 97/09/10 DATE PRINTED: 97/10/10

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 97/10/10


FINAL REPORT

-----PARAMETER-----

AROCLOL 1221	< 0.05 MCG
AROCLOL 1016/1242	< 0.05 MCG
AROCLOL 1248	< 0.05 MCG
AROCLOL 1254	< 0.05 MCG
AROCLOL 1260	0.48 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

-----RESULT-----

**** END OF REPORT ****



NYS ELAP ID'S: 10762(INORGANIC, NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), EPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN
C/O NY STATE DEPARTMENT OF HEALTH
MONTICELLO DISTRICT OFFICE
6 PRINCE ST.
MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

0856

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION


FINAL REPORT

SAMPLE ID: 9701915 SAMPLE RECEIVED: 97/09/12 CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5522
POLITICAL SUBDIVISION:NEW PALTZ V. COUNTY:ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N SUNY NEW PALTZ
DESCRIPTION: PARKER THEATER, P-VAULT #1
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP:PCB'S IN WIPES
SAMPLE TYPE: 942:SOOT
TIME OF SAMPLING: 97/09/10 DATE PRINTED: 97/10/10

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 97/10/10 FINAL REPORT

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.05 MCG
AROCLOR 1016/1242	< 0.05 MCG
AROCLOR 1248	< 0.05 MCG
AROCLOR 1254	< 0.05 MCG
AROCLOR 1260	0.54 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

*** END OF REPORT ***



NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN
C/O NY STATE DEPARTMENT OF HEALTH
MONTICELLO DISTRICT OFFICE
6 PRINCE ST.
MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

0858

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701916 SAMPLE RECEIVED: 97/09/12 CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN: 13 GAZETTEER CODE: 5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION: PARKER THEATER, P LOADD 1
REPORTING LAB: TOX: LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP: PCB'S IN WIPES
SAMPLE TYPE: 942:SOOT
TIME OF SAMPLING: 97/09/10 DATE PRINTED: 97/10/10

ANALYSIS: PCBWP : PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 97/10/10 FINAL REPORT

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.05 MCG
AROCLOR 1016/1242	< 0.05 MCG
AROCLOR 1248	< 0.05 MCG
AROCLOR 1254	< 0.05 MCG
AROCLOR 1260	0.07 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

*** END OF REPORT ***

NYS ELAP ID'S: 10762 (INORGANIC, NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN
C/O NY STATE DEPARTMENT OF HEALTH
MONTICELLO DISTRICT OFFICE
6 PRINCE ST.
MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

0860

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701917 SAMPLE RECEIVED: 97/09/12 CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN: 13 GAZETTEER CODE: 5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION: PARKER THEATER, P-VAULT BEAM
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP:PCB'S IN WIPES
SAMPLE TYPE: 942:SOOT
TIME OF SAMPLING: 97/09/10 DATE PRINTED: 97/10/10

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 97/10/10


FINAL REPORT

-----PARAMETER-----

-----RESULT-----

AROCLOL 1221	< 0.05 MCG
AROCLOL 1016/1242	0.21 MCG
AROCLOL 1248	< 0.05 MCG
AROCLOL 1254	< 0.05 MCG
AROCLOL 1260	0.35 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****



NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN
C/O NY STATE DEPARTMENT OF HEALTH
MONTICELLO DISTRICT OFFICE
6 PRINCE ST.
MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

0862

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION


FINAL REPORT

SAMPLE ID: 9701918 SAMPLE RECEIVED: 97/09/12 CHARGE: 4.00
 PROGRAM: 870:SUNY @ NEW PALTZ
 SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE: 5522
 POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
 LATITUDE: LONGITUDE: Z DIRECTION:
 LOCATION: 356807N - SUNY NEW PALTZ
 DESCRIPTION: PARKER THEATER, P-LOADD 2
 REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
 TEST PATTERN: PCBWP:PCB'S IN WIPES
 SAMPLE TYPE: 942:SOOT
 TIME OF SAMPLING: 97/09/10 DATE PRINTED: 97/10/10

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
 DATE PRINTED: 97/10/10 FINAL REPORT

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.05 MCG
AROCLOR 1016/1242	< 0.05 MCG
AROCLOR 1248	< 0.05 MCG
AROCLOR 1254	< 0.05 MCG
AROCLOR 1260	0.13 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****



NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
 COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN
 C/O NY STATE DEPARTMENT OF HEALTH
 MONTICELLO DISTRICT OFFICE
 6 PRINCE ST.
 MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

0864

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION


FINAL REPORT

SAMPLE ID: 9701919 SAMPLE RECEIVED: 97/09/12 CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5522
POLITICAL SUBDIVISION:NEW PALTZ V. COUNTY:ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION:GAGE HALL, G-COLUMN #1
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP:PCB'S IN WIPES
SAMPLE TYPE: 942:SOOT
TIME OF SAMPLING: 97/09/10 DATE PRINTED: 97/10/10

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 97/10/10 FINAL REPORT

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.25 MCG
AROCLOR 1016/1242	< 0.25 MCG
AROCLOR 1248	< 0.25 MCG
AROCLOR 1254	< 0.25 MCG
AROCLOR 1260	3.8 MCG
AREA OF WIPE IN SQUARE METER.	0.09 SQ. M.

**** END OF REPORT ****



NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN
C/O NY STATE DEPARTMENT OF HEALTH
MONTICELLO DISTRICT OFFICE
6 PRINCE ST.
MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

0866

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701920 SAMPLE RECEIVED: 97/09/12 CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5522
POLITICAL SUBDIVISION:NEW PALTZ V. COUNTY:ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION:GAGE HALL,G-BEAM #1
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP:PCB'S IN WIPES
SAMPLE TYPE: 942:SOOT
TIME OF SAMPLING: 97/09/10 DATE PRINTED: 97/10/10

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 97/10/10

FINAL REPORT

-----PARAMETER-----

-----RESULT-----

AROCLOL 1221	< 0.1 MCG
AROCLOL 1016/1242	< 0.1 MCG
AROCLOL 1248	< 0.1 MCG
AROCLOL 1254	< 0.1 MCG
AROCLOL 1260	1.3 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

*** END OF REPORT ***

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN

C/O NY STATE DEPARTMENT OF HEALTH

MONTICELLO DISTRICT OFFICE

6 PRINCE ST.

MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

0868

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT


SAMPLE ID: 9701921 SAMPLE RECEIVED: 97/09/12 CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION: BLISS HALL, B-ELECT ROOM
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP:PCB'S IN WIPES
SAMPLE TYPE: 942:SOOT
TIME OF SAMPLING: 97/09/10 DATE PRINTED: 97/10/10

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 97/10/10

FINAL REPORT

PARAMETER	RESULT
AROCLOR 1221	< 0.25 MCG
AROCLOR 1016/1242	< 0.25 MCG
AROCLOR 1248	< 0.25 MCG
AROCLOR 1254	< 0.25 MCG
AROCLOR 1260	2.9 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****



NYS ELAP ID'S: 10762 (INORGANIC, NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN
C/O NY STATE DEPARTMENT OF HEALTH
MONTICELLO DISTRICT OFFICE
6 PRINCE ST.
MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

0870

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 08701922 SAMPLE RECEIVED: 97/09/12/ CHARGE: 4.00
PROGRAM: 0870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN: 13 GAZETTEER CODE: 5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION: BLISS HALL B-VAULT #1
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP:PCB'S IN WIPES
SAMPLE TYPE: 942:SOOT
TIME OF SAMPLING: 97/09/10 DATE PRINTED: 97/10/10

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 97/10/10

FINAL REPORT

-----PARAMETER-----

-----RESULT-----

AROCLOL 1221	< 0.05 MCG
AROCLOL 1016/1242	< 0.05 MCG
AROCLOL 1248	< 0.05 MCG
AROCLOL 1254	< 0.05 MCG
AROCLOL 1260	0.14 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN

C/O NY STATE DEPARTMENT OF HEALTH

MONTICELLO DISTRICT OFFICE

6 PRINCE ST.

MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

0872

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701923 SAMPLE RECEIVED: 97/09/12/ CHARGE: 4.00
PROGRAM: 870: SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN: 13 GAZETTEER CODE: 5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION: BLISS HALL, B-EXT GRADE BEAM
REPORTING LAB: TOX: LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP: PCB'S IN WIPES
SAMPLE TYPE: 942: SOOT
TIME OF SAMPLING: 97/09/10 : DATE PRINTED: 97/10/10

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 97/10/10

FINAL REPORT

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.05 MCG
AROCLOR 1016/1242	< 0.05 MCG
AROCLOR 1248	< 0.05 MCG
AROCLOR 1254	< 0.05 MCG
AROCLOR 1260	0.17 MCG
AREA OF WIPE IN SQUARE METER.	0.09 SQ. M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762 (INORGANIC, NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN
C/O NY STATE DEPARTMENT OF HEALTH
MONTICELLO DISTRICT OFFICE
6 PRINCE ST.
MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

0874

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701924 SAMPLE RECEIVED: 97/09/12/ CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN: 13 GAZETTEER CODE: 5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION: COYKENDALL, MER VAULT CEILING
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP:PCB'S IN WIPES
SAMPLE TYPE: 942:SOOT
TIME OF SAMPLING: 97/09/10 DATE PRINTED: 97/10/10

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 97/10/10

FINAL REPORT

-----PARAMETER-----

-----RESULT-----

AROCLOR 1221	< 0.05 MCG
AROCLOR 1016/1242	< 0.05 MCG
AROCLOR 1248	< 0.05 MCG
AROCLOR 1254	< 0.05 MCG
AROCLOR 1260	0.33 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN

C/O NY STATE DEPARTMENT OF HEALTH

MONTICELLO DISTRICT OFFICE

6 PRINCE ST.
MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

0876

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701925 SAMPLE RECEIVED: 97/09/12 CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN: 13 GAZETTEER CODE: 5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION: COYKENDALL SCIENCE BLDG., C-MER COLUMN #1
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP:PCB'S IN WIPES
SAMPLE TYPE: 942:SOOT
TIME OF SAMPLING: 97/09/10 DATE PRINTED: 97/10/10

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 97/10/10

FINAL REPORT

-----PARAMETER-----

AROCLOR 1221	< 0.05 MCG
AROCLOR 1016/1242	< 0.05 MCG
AROCLOR 1248	< 0.05 MCG
AROCLOR 1254	< 0.05 MCG
AROCLOR 1260	0.06 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

-----RESULT-----

**** END OF REPORT ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN

C/O NY STATE DEPARTMENT OF HEALTH

MONTICELLO DISTRICT OFFICE SUBMITTED BY: KNUDSEN

6 PRINCE ST.
MONTICELLO, NY 12701

0878

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701926 SAMPLE RECEIVED: 97/09/12 CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5522
POLITICAL SUBDIVISION:NEW PALTZ V. COUNTY:ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION:COYKENDALL SCIENCE BLDG, C-MER CEILING #2
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP:PCB'S IN WIPES
SAMPLE TYPE: 942:SOOT
TIME OF SAMPLING: 97/09/10 DATE PRINTED: 97/10/10

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 97/10/10

FINAL REPORT

-----PARAMETER-----

AROCLOR 1221
AROCLOR 1016/1242
AROCLOR 1248
AROCLOR 1254
AROCLOR 1260
AREA OF WIPE IN SQUARE METER

-----RESULT-----

< 0.05 MCG
< 0.05 MCG
< 0.05 MCG
< 0.05 MCG
0.33 MCG
0.09 SQ. M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN

C/O NY STATE DEPARTMENT OF HEALTH

MONTICELLO DISTRICT OFFICE

6 PRINCE ST
MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

0880

NEW YORK STATE DEPARTMENT OF HEALTH

405

PAGE 1

WADSWORTH CENTER

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701927 SAMPLE RECEIVED: 97/09/12 CHARGE: 4.00
PROGRAM: 870: SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN: 13 GAZETTEER CODE: 5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION: COYKENDALL SCIENCE BLDG, C-MER CEILING #1
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP:PCB'S IN WIPES
SAMPLE TYPE: 942:SOOT
TIME OF SAMPLING: 97/09/10 DATE PRINTED: 97/10/10

ANALYSIS: PCBWP - PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 97/10/10

FINAL REPORT

-----PARAMETER-----	-----RESULT-----
AROCLOR 1221	< 0.05 MCG
AROCLOR 1016/1242	< 0.05 MCG
AROCLOR 1248	< 0.05 MCG
AROCLOR 1254	< 0.05 MCG
AROCLOR 1260	0.32 MCG
AREA OF WIPE IN SQUARE METER.	0.09 SQ. M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN
C/O NY STATE DEPARTMENT OF HEALTH
MONTICELLO DISTRICT OFFICE
6 PRINCE ST.
MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

0882

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701928 SAMPLE RECEIVED: 97/09/12 CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE: 5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION: COYKENDALL SCIENCE BLDG., C-MER WALL #1
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP:PCB'S IN WIPES
SAMPLE TYPE: 942:SOOT
TIME OF SAMPLING: 97/09/10 : DATE PRINTED: 97/10/10

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 97/10/10

FINAL REPORT

-----PARAMETER-----

-----RESULT-----

AROCLOL 1221	< 0.05 MCG
AROCLOL 1016/1242	< 0.05 MCG
AROCLOL 1248	< 0.05 MCG
AROCLOL 1254	< 0.05 MCG
AROCLOL 1260	0.35 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN

C/O NY STATE DEPARTMENT OF HEALTH

MONTICELLO DISTRICT OFFICE

6 PRINCE ST.
MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

0884

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701929 SAMPLE RECEIVED: 97/09/12/ CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE: 5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION: COYKENDALL SCIENCE BLDG., C-MER WALL #2
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP:PCB'S IN WIPES
SAMPLE TYPE: 942:SOOT
TIME OF SAMPLING: 97/09/10 : DATE PRINTED: 97/10/10

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 97/10/10 FINAL REPORT

-----PARAMETER-----

-----RESULT-----

AROCLOL 1221	< 0.05 MCG
AROCLOL 1016/1242	< 0.05 MCG
AROCLOL 1248	< 0.05 MCG
AROCLOL 1254	< 0.05 MCG
AROCLOL 1260	0.58 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), EPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN

C/O NY STATE DEPARTMENT OF HEALTH

MONTICELLO DISTRICT OFFICE

6 PRINCE ST.

MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

0886

NEW YORK STATE DEPARTMENT OF HEALTH

405

WADSWORTH CENTER

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701930 SAMPLE RECEIVED: 97/09/12 CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY:ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION: COYKENDALL SCIENCE BLDG., C-MER BEAM
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP:PCB'S IN WIPES
SAMPLE TYPE: 942:SOOT
TIME OF SAMPLING: 97/09/10 DATE PRINTED: 97/10/10

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 97/10/10 FINAL REPORT

-----PARAMETER-----

-----RESULT-----

AROCLOL 1221	< 0.05 MCG
AROCLOL 1016/1242	< 0.05 MCG
AROCLOL 1248	< 0.05 MCG
AROCLOL 1254	< 0.05 MCG
AROCLOL 1260	0.67 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN

C/O NY STATE DEPARTMENT OF HEALTH

MONTICELLO DISTRICT OFFICE

6 PRINCE ST.

MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

0888

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701931 SAMPLE RECEIVED: 97/09/12/ CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5522
POLITICAL SUBDIVISION:NEW PALTZ V. COUNTY:ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION:COYKENDALL SCIENCE BLDG., C-MER COLUMN #2
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP:PCB'S IN WIPES
SAMPLE TYPE: 942:SOOT
TIME OF SAMPLING: 97/09/10 DATE PRINTED: 97/10/10

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 97/10/10

FINAL REPORT

-----PARAMETER-----

-----RESULT-----

AROCLOL 1221	< 0.25 MCG
AROCLOL 1016/1242	0.36 MCG
AROCLOL 1248	< 0.25 MCG
AROCLOL 1254	< 0.25 MCG
AROCLOL 1260	2.3 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN
C/O NY STATE DEPARTMENT OF HEALTH
MONTICELLO DISTRICT OFFICE
6 PRINCE ST.
MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

0890

NEW YORK STATE DEPARTMENT OF HEALTH

405

WADSWORTH CENTER

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701932 SAMPLE RECEIVED: 97/09/12 CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN: 13 GAZETTEER CODE: 5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION: SCUDDER HALL, S-BEAM #2
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP:PCB'S IN WIPES
SAMPLE TYPE: 942:SOOT
TIME OF SAMPLING: 97/09/10 DATE PRINTED: 97/10/10

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 97/10/10

FINAL REPORT

-----PARAMETER-----

-----RESULT-----

AROCLOL 1221	< 0.1 MCG
AROCLOL 1016/1242	< 0.1 MCG
AROCLOL 1248	< 0.1 MCG
AROCLOL 1254	< 0.1 MCG
AROCLOL 1260	1.3 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762 (INORGANIC, NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN

C/O NY STATE DEPARTMENT OF HEALTH

MONTICELLO DISTRICT OFFICE

6 PRINCE ST.

MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

0892

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701933 SAMPLE RECEIVED: 97/09/12 CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN: 13 GAZETTEER CODE: 5522
POLITICAL SUBDIVISION: NEW PALTZ V.
LATITUDE: LONGITUDE:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION: SCUDDER HALL, S-BEAM #1
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP:PCB'S IN WIPES
SAMPLE TYPE: 942:SOOT
TIME OF SAMPLING: 97/09/10 DATE PRINTED: 97/10/10

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 97/10/10

FINAL REPORT

-----PARAMETER-----

AROCLOR 1221	< 0.1 MCG
AROCLOR 1016/1242	< 0.1 MCG
AROCLOR 1248	< 0.1 MCG
AROCLOR 1254	< 0.1 MCG
AROCLOR 1260	1.6 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

-----RESULT-----

**** END OF REPORT ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RD(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN
C/O NY STATE DEPARTMENT OF HEALTH
MONTICELLO DISTRICT OFFICE
6 PRINCE ST.
MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

0894

NEW YORK STATE DEPARTMENT OF HEALTH

405

WADSWORTH CENTER

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701934 SAMPLE RECEIVED: 97/09/12/ CHARGE: 4.00
PROGRAM: 870: SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN: 13 GAZETTEER CODE: 5522
POLITICAL SUBDIVISION: NEW PALTZ V. COUNTY: ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION: SCUDDER HALL, S-COLUMN
REPORTING LAB: TOX: LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP: PCB'S IN WIPES
SAMPLE TYPE: 942: SOOT
TIME OF SAMPLING: 97/09/10 DATE PRINTED: 97/10/10

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 97/10/10

FINAL REPORT

-----PARAMETER-----

-----RESULT-----

AROCLOR 1221	< 0.25 MCG
AROCLOR 1016/1242	< 0.25 MCG
AROCLOR 1248	< 0.25 MCG
AROCLOR 1254	< 0.25 MCG
AROCLOR 1260	2.2 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

**** END OF REPORT ****

NYS ELAP ID'S: 10762 (INORGANIC, NUCLEAR) 10763 (ORGANIC) 10765 (BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN
C/O NY STATE DEPARTMENT OF HEALTH
MONTICELLO DISTRICT OFFICE
6 PRINCE ST.
MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN

0896

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701935 SAMPLE RECEIVED: 97/09/12/ CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5522
POLITICAL SUBDIVISION:NEW PALTZ V. COUNTY:ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION:BLISS HALL, B-VAULT #2
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP:PCB'S IN WIPES
SAMPLE TYPE: 942:SOOT
TIME OF SAMPLING: 97/09/10 DATE PRINTED: 97/10/10

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 97/10/10

FINAL REPORT

-----PARAMETER-----

AROCLOL 1221	< 0.05 MCG
AROCLOL 1016/1242	< 0.05 MCG
AROCLOL 1248	< 0.05 MCG
AROCLOL 1254	< 0.05 MCG
AROCLOL 1260	0.43 MCG
AREA OF WIPE IN SQUARE METER	0.09 SQ. M.

-----RESULT-----

***** END OF REPORT *****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN
C/O NY STATE DEPARTMENT OF HEALTH
MONTICELLO DISTRICT OFFICE
6 PRINCE ST.
MONTICELLO, NY 12701

SUBMITTED BY:KNUDSEN

0898

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

405

PAGE 1

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9701936 SAMPLE RECEIVED: 97/09/12 CHARGE: 4.00
PROGRAM: 870:SUNY @ NEW PALTZ
SOURCE ID: DRAINAGE BASIN:13 GAZETTEER CODE:5522
POLITICAL SUBDIVISION:NEW PALTZ V. COUNTY:ULSTER
LATITUDE: LONGITUDE: Z DIRECTION:
LOCATION: 356807N - SUNY NEW PALTZ
DESCRIPTION:FIELD BLANK
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: PCBWP:PCB'S IN WIPES
SAMPLE TYPE: 285:FIELD BLANK - ORIGINATES IN THE FIELD
TIME OF SAMPLING: 97/09/10 DATE PRINTED: 97/10/10

ANALYSIS: PCBWP PCB'S IN WIPES (DES 312-3)
DATE PRINTED: 97/10/10

FINAL REPORT

-----PARAMETER-----

-----RESULT-----

AROCLOL 1221 < 0.25 MCG
AROCLOL 1016/1242 < 0.25 MCG
AROCLOL 1248 < 0.25 MCG
AROCLOL 1254 < 0.25 MCG
AROCLOL 1260 2.2 MCG

AREA OF WIPE IN SQUARE METER FLD BLK

**** END OF REPORT ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(0), LPHE(1), FED(), INFO-P(), INFO-L(), 405

MARK KNUDSEN

C/O NY STATE DEPARTMENT OF HEALTH

MONTICELLO DISTRICT OFFICE

6 PRINCE ST.

MONTICELLO, NY 12701

SUBMITTED BY: KNUDSEN