


PACKER DRIVE (NEAR)




FIRST FLOOR PLAN - APPROXIMATE SCALE 1/4" = 25'

Building # 2 (PDH)

(PARKER THEATRE)

PARKER DINING HALL



UPPER PART OF DINING ROOM

- FIRE ALARMS
- FIRE EX.
- CO2 EXT.
- ABC EXT.
- FIRE PANEL
- GENERATOR

SUNY New Paltz 8/75  
Safety Office

Second Floor Plan



**Clean Harbors**  
ANALYTICAL SERVICES  
325 WOOD ROAD, BRAINTREE, MA 02184  
(617) 849-6070

**REPORT OF ANALYSIS**

Clean Harbors of Kingston, Inc.  
New York Division  
P.O. Box 1812  
Albany, NY 12201

Project: SUNY - NEW PALTZ COLLEGE  
P.O. #: A-8820

Date Received: 12/31/91  
CHAS Lab #: 9112306

Attn: Mr. George Cebula


Enclosed are the results for the sample(s) delivered to our laboratory on the date indicated above.

The methods listed represent those methodologies which were used to develop the best analytical techniques. Analytical results and quality assurance protocols are based on these guidelines. These meet the requirements for the reporting of results under the RCRA, NPDES and Safe Drinking Water Act regulations.

Clean Harbors Analytical Services has an active program of quality assurance and quality control. The program closely follows the guidance provided in the EPA Contract Laboratory Program Statement of Work (organic and inorganic), the guidance provided in SW-846, and many other pertinent documents.

Should you have any questions concerning this work, please do not hesitate to contact me.

The information contained in this report is, to the best of my knowledge, accurate and complete.

Per/Date:  2 Jan. '92  
Robert E. Bentley  
Laboratory Manager



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 1-1, PARKER THEATER  
Sample Type: Wipe

CHAS Lab #: 9112306-01N  
Date Received: 12/31/91

Polychlorinated Biphenyls (PCBs)

Extraction Date: 12/31/91  
Analysis Date: 01/01/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	16	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 100 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 1-2, PARKER THEATER  
Sample Type: Wipe

CHAS Lab #: 9112306-02N  
Date Received: 12/31/91

Polychlorinated Biphenyls (PCBs)

Extraction Date: 12/31/91  
Analysis Date: 01/01/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	49	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 100 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 1-3, PARKER THEATER  
Sample Type: Wipe

CHAS Lab #: 9112306-03N  
Date Received: 12/31/91

Polychlorinated Biphenyls (PCBs)

Extraction Date: 12/31/91  
Analysis Date: 01/01/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	ND	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 100 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2-1, PARKER THEATER  
Sample Type: Wipe

CHAS Lab #: 9112306-04N  
Date Received: 12/31/91

**Polychlorinated Biphenyls (PCBs)**

Extraction Date: 12/31/91  
Analysis Date: 01/01/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	ND	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 100 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



**QUALITY CONTROL**

**REPORT OF ANALYSIS**

**CHAS LAB. NO. 9112306**

The attached quality control data was generated during the analysis of these samples. The sample data has been corrected for analytes found in the blank (if any). Corrections were performed in accordance with the procedures as stated in the Clean Harbors Analytical Laboratory QA/QC Manual and pertinent SOP's, which are available for review. This data is submitted for informational purposes only.





Client: Clean Harbors of Kingston, Inc.

CHAS Lab #: 9112306

Polychlorinated Biphenyls (PCB's) Blank

Extraction Date: 12/31/91  
Analysis Date: 01/01/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	ND	ug/100 sq cm

---

Note: ND - Below minimum detectable level (MDL)  
Soil/solid sample results based on sample dry weight

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.

---



**Clean Harbors Analytical, 325 Wood Rd., Brinton, MD. 20734**      **CHAIN OF CUSTODY RECORD**      **Sample Custodian - (517) 849-6870**      Page 1 of 1

**Client:** CHI Albany      **Project Name:** SUNY New Paltz College      **Date:** 12/31/91  
**Address:** P.O. Box 1812 Albany N.Y. 12201      **Phone #:** (518) 434-0149

**Report To:** \_\_\_\_\_      **Address:** \_\_\_\_\_

**Invoice To:** CHI Albany      **by:** D. Barry / L. Johnson      **Date Samples Received:** 12/31/91

**Date Samples Collected:** 12/31/91      **NOTE:** Samples received unpreserved will be preserved upon arrival at CHAS.      **Samples were:** Preserved Unpreserved

**Airbill/Bill of Lading? Y N**      **NOTE:** Samples received unpreserved will be preserved upon arrival at CHAS.

Sample I.D.	Sampling Information			Analysis												# of con.	Comments (Special instructions, cautions, etc.)										
	Date	Time	Station Location	Sample Type	PCB	SCM																					
Parker Theatre																											
1-1	12/31	6:00	Park Theatre	Wipe	X																					KD 12/31 CHAS Sample # 9112306	
1-2				"	X																					Q1N	
1-3				"	X																					Q2N	
2-1				"	X																					Q3N	
Buton Hall																											Q4N
F-1			Buton Hall	Wipe	X																						

**REMARKS:** (Sample storage, nonstandard sample bottles, special instructions)  
PCB WIPE SAMPLES  
24 hr Turnaround

**Relinquished by:** [Signature]      **Date:** 12-31-91      **Time:** \_\_\_\_\_

**Received by:** [Signature]      **Date:** 12-31-91      **Time:** \_\_\_\_\_

**Relinquished by:** \_\_\_\_\_      **Date:** \_\_\_\_\_      **Time:** \_\_\_\_\_

**Received by:** \_\_\_\_\_      **Date:** \_\_\_\_\_      **Time:** \_\_\_\_\_

**Standard laboratory turnaround time is 2 weeks from date of receipt. Accelerated turnaround may be requested for a surcharge. Accelerated turnaround requested:** \_\_\_\_\_

**Location of samples:** LAB

**Turnaround:** 48 Hrs      1 Week      2 Weeks      Other: \_\_\_\_\_



**Clean Harbors**  
ANALYTICAL SERVICES  
325 WOOD ROAD, BRAINTREE, MA 02184  
(617) 849-6070

**REPORT OF ANALYSIS**

Clean Harbors of Kingston, Inc.  
New York Division  
P.O. Box 1812  
Albany, NY 12201

Project: SUNY - NEW PALTZ COLLEGE  
P.O. #: A-8820

Date Received: 01/03/92  
CHAS Lab #: 9201024

Attn: Mr. George Cabula


Enclosed are the results for the sample(s) delivered to our laboratory on the date indicated above.

The methods listed represent those methodologies which were used to develop the best analytical techniques. Analytical results and quality assurance protocols are based on these guidelines. These meet the requirements for the reporting of results under the RCRA, NPDES and Safe Drinking Water Act regulations.

Clean Harbors Analytical Services has an active program of quality assurance and quality control. The program closely follows the guidance provided in the EPA Contract Laboratory Program Statement of Work (organic and inorganic), the guidance provided in SW-846, and many other pertinent documents.

Should you have any questions concerning this work, please do not hesitate to contact me.

The information contained in this report is, to the best of my knowledge, accurate and complete.

Per/Date:   
Jeanne M. Engel  
Laboratory Manager



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: PARKER-1, POLY ON ROOF  
Sample Type: Water

CHAS Lab #: 9201024-01N  
Date Received: 01/03/92

Polychlorinated Biphenyls (PCBs)  
by EPA Method 608

Extraction Date: 01/02/92  
Analysis Date: 01/04/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	200	ND	ug/l
PCB - Aroclor 1221	200	ND	ug/l
PCB - Aroclor 1232	200	ND	ug/l
PCB - Aroclor 1242	200	ND	ug/l
PCB - Aroclor 1248	200	ND	ug/l
PCB - Aroclor 1254	200	ND	ug/l
PCB - Aroclor 1260	200	1100	ug/l

Notes: ND - Below minimum detectable level (MDL)  
Soil/solid sample results based on sample dry weight

---

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: Diluted out

34-104%



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: PARKER-2, PIPE ON THE ROOF  
Sample Type: Water

CHAS Lab #: 9201024-02N  
Date Received: 01/03/92

Polychlorinated Biphenyls (PCBs)  
by EPA Method 608

Extraction Date: 01/02/92  
Analysis Date: 01/04/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	200	ND	ug/l
PCB - Aroclor 1221	200	ND	ug/l
PCB - Aroclor 1232	200	ND	ug/l
PCB - Aroclor 1242	200	ND	ug/l
PCB - Aroclor 1248	200	ND	ug/l
PCB - Aroclor 1254	200	ND	ug/l
PCB - Aroclor 1260	200	490	ug/l

Notes: ND - Below minimum detectable level (MDL)  
Soil/solid sample results based on sample dry weight

---

QA/QC

Surrogate Recovery	Acceptance Criteria
Hexabromobenzene: Diluted out	34-104%



**QUALITY CONTROL**

**REPORT OF ANALYSIS**

**CHAS LAB. NO. 9201024**

The attached quality control data was generated during the analysis of these samples. The sample data has been corrected for analytes found in the blank (if any). Corrections were performed in accordance with the procedures as stated in the Clean Harbors Analytical Laboratory QA/QC Manual and pertinent SOP's, which are available for review. This data is submitted for informational purposes only.



Client: Clean Harbors of Kingston, Inc.

CHAS Lab #: 9201024

Polychlorinated Biphenyls (PCB's) Blank

by EPA Method 608 (ref. f)

Extraction Date: 01/03/91

Analysis Date: 01/04/91

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/l
PCB - Aroclor 1221	1.0	ND	ug/l
PCB - Aroclor 1232	1.0	ND	ug/l
PCB - Aroclor 1242	1.0	ND	ug/l
PCB - Aroclor 1248	1.0	ND	ug/l
PCB - Aroclor 1254	1.0	ND	ug/l
PCB - Aroclor 1260	1.0	ND	ug/l

---

Note: ND - Below minimum detectable level (MDL)  
Soil/solid sample results based on sample dry weight

---

QA/QC Surrogate Recoveries:

Hexabromobenzene : 91.5%

Acceptance Criteria:

Water                      Soil  
34-104%                    78-148







**Clean Harbors**  
ANALYTICAL SERVICES  
325 WOOD ROAD, BRAINTREE, MA 02184  
(617) 849-6070

**REPORT OF ANALYSIS**

Clean Harbors of Kingston, Inc.  
New York Division  
P.O. Box 1812  
Albany, NY 12201

Project: SUNY - NEW PALTZ COLLEGE  
P.O. #: A8820

Date Received: 01/04/92  
CHAS Lab #: 9201036

Attn: Mr. George Cebula

Enclosed are the results for the sample(s) delivered to our laboratory on the date indicated above.

The methods listed represent those methodologies which were used to develop the best analytical techniques. Analytical results and quality assurance protocols are based on these guidelines. These meet the requirements for the reporting of results under the RCRA, NPDES and Safe Drinking Water Act regulations.

Clean Harbors Analytical Services has an active program of quality assurance and quality control. The program closely follows the guidance provided in the EPA Contract Laboratory Program Statement of Work (organic and inorganic), the guidance provided in SW-846, and many other pertinent documents.

Should you have any questions concerning this work, please do not hesitate to contact me.

The information contained in this report is, to the best of my knowledge, accurate and complete.

Per/Date:

  
Jeanne M. Efigal  
Laboratory Manager



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: FARMER THEATRE 1, MANHOLE  
Sample Type: Wipe

CHAS Lab #: 9201036-01N  
Date Received: 01/04/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 01/04/92  
Analysis Date: 01/04/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	10	ND	ug/100 sq cm
PCB - Aroclor 1221	10	ND	ug/100 sq cm
PCB - Aroclor 1232	10	ND	ug/100 sq cm
PCB - Aroclor 1242	10	ND	ug/100 sq cm
PCB - Aroclor 1248	10	ND	ug/100 sq cm
PCB - Aroclor 1254	10	ND	ug/100 sq cm
PCB - Aroclor 1260	10	110	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 100 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: PARKER THEATRE 2, ROOF  
Sample Type: Wipe

CHAS Lab #: 9201036-02N  
Date Received: 01/04/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 01/04/92  
Analysis Date: 01/04/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	24	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 100 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: PARKER THEATRE 3, ROOF PIPE  
Sample Type: Wipe

CHAS Lab #: 9201036-03N  
Date Received: 01/04/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 01/04/92  
Analysis Date: 01/04/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	33	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 100 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



**QUALITY CONTROL**

**REPORT OF ANALYSIS**

**CHAS LAB. NO. 9201036**

The attached quality control data was generated during the analysis of these samples. The sample data has been corrected for analytes found in the blank (if any). Corrections were performed in accordance with the procedures as stated in the Clean Harbors Analytical Laboratory QA/QC Manual and pertinent SOP's, which are available for review. This data is submitted for informational purposes only.



Client: Clean Harbors of Kingston, Inc.

CHAS Lab #: 9201036

Polychlorinated Biphenyls (PCB's) Blank

Extraction Date: 01/04/92  
Analysis Date: 01/04/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	ND	ug/100 sq cm

---

Note: ND - Below minimum detectable level (MDL)  
Soil/solid sample results based on sample dry weight

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.

---

