



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-201, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210064-01N  
Date Received: 10/06/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/09/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-202, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210064-02N  
Date Received: 10/06/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/09/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.

Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-203, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210064-03N  
Date Received: 10/06/92

## Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/09/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND = Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-204, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210064-04N  
Date Received: 10/06/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/09/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.

Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-205, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210064-05N  
Date Received: 10/06/92

## Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/09/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | 0.1           | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.

Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-206, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210064-06N  
Date Received: 10/06/92

## Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/09/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | 0.2           | ug/100 sq cm |

Notes: ND = Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-207, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210064-07N  
Date Received: 10/06/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/09/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2231992-208 BLISS  
Sample Type: Wipe

CHAS Lab #: 9203279-05N  
Date Received: 03/20/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 03/20/92  
Analysis Date: 03/20/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | 0.2           | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.





Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-209, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210064-08N  
Date Received: 10/06/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/09/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | 0.2           | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-210, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210064-09N  
Date Received: 10/06/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/09/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND = Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-211, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210064-10N  
Date Received: 10/06/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/09/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-212, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210066-01N  
Date Received: 10/06/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/10/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | 0.1           | ug/100 sq cm |

Notes: ND = Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-213, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210066-02N  
Date Received: 10/06/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92

Analysis Date: 10/10/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-214, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210066-03N  
Date Received: 10/06/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/10/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | 0.1           | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-215, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210066-04N  
Date Received: 10/06/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/10/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 223292-216, BLISS  
Sample Type: Wipe

CHAS Lab #: 9203060-09N  
Date Received: 03/04/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 03/04/92  
Analysis Date: 03/06/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | 0.1           | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.





Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2231992-217 BLISS  
Sample Type: Wipe

CHAS Lab #: 9203279-10N  
Date Received: 03/20/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 03/20/92  
Analysis Date: 03/20/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | 0.2           | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 223292-218, BLISS  
Sample Type: Wipe

CHAS Lab #: 9203060-10N  
Date Received: 03/04/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 03/04/92

Analysis Date: 03/06/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | 0.1           | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2233192-219A BLISS  
Sample Type: Wipe

CHAS Lab #: 9204005-04N  
Date Received: 04/01/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 04/01/92  
Analysis Date: 04/04/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2233192-219B BLISS  
Sample Type: Wipe

CHAS Lab #: 9204005-05N  
Date Received: 04/01/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 04/01/92  
Analysis Date: 04/03/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2233192-219C BLISS  
Sample Type: Wipe

CHAS Lab #: 9204005-06N  
Date Received: 04/01/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 04/01/92

Analysis Date: 04/03/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | 0.1           | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2233192-219D BLISS  
Sample Type: Wipe

CHAS Lab #: 9204005-07N  
Date Received: 04/01/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 04/01/92  
Analysis Date: 04/03/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | 0.2           | ug/100 sq cm |

Notes: ND = Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2231992-220 BLISS  
Sample Type: Wipe

CHAS Lab #: 9203282-01N  
Date Received: 03/20/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 03/20/92

Analysis Date: 03/20/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2231992-221 BLISS  
Sample Type: Wipe

CHAS Lab #: 9203282-02N  
Date Received: 03/20/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 03/20/92

Analysis Date: 03/20/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND = Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.





Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2231992-222 BLISS  
Sample Type: Wipe

CHAS Lab #: 9203282-03N  
Date Received: 03/20/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 03/20/92

Analysis Date: 03/20/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | 0.2           | ug/100 sq cm |

Notes: ND = Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2231992-223 BLISS  
Sample Type: Wipe

CHAS Lab #: 9203282-04N  
Date Received: 03/20/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 03/20/92  
Analysis Date: 03/20/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2231992-224 BLISS  
Sample Type: Wipe

CHAS Lab #: 9203282-05N  
Date Received: 03/20/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 03/20/92

Analysis Date: 03/20/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | 0.2           | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2231992-225 BLISS  
Sample Type: Wipe

CHAS Lab #: 9203282-06N  
Date Received: 03/20/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 03/20/92  
Analysis Date: 03/20/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | 0.2           | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2231992-226 BLISS  
Sample Type: Wipe

CHAS Lab #: 9203282-07N  
Date Received: 03/20/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 03/20/92  
Analysis Date: 03/20/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | 0.2           | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2231992-227 BLISS  
Sample Type: Wipe

CHAS Lab #: 9203282-08N  
Date Received: 03/20/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 03/20/92  
Analysis Date: 03/20/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.3 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.3 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.3 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.3 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.3 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.3 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.3 | ND            | ug/100 sq cm |

Notes: ND = Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm  
Presence of chlorinated pesticides indicated  
in the sample.

The sample was mixed with hexane for 5 minutes. The resulting  
extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2231992-228 BLISS  
Sample Type: Wipe

CHAS Lab #: 9203282-09N  
Date Received: 03/20/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 03/20/92  
Analysis Date: 03/20/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 223292-229, BLISS  
Sample Type: Wipe

CHAS Lab #: 9203061-05N  
Date Received: 03/04/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 03/04/92  
Analysis Date: 03/06/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.





Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 223292-230, BLISS  
Sample Type: Wipe

CHAS Lab #: 9203061-04N  
Date Received: 03/04/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 03/04/92  
Analysis Date: 03/06/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2231992-231 BLISS  
Sample Type: Wipe

CHAS Lab #: 9203282-10N  
Date Received: 03/20/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 03/20/92

Analysis Date: 03/20/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | 0.1           | ug/100 sq cm |

Notes: ND = Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-LOUNGE, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210069-02N  
Date Received: 10/06/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/09/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | 0.1           | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2-4, BLISS HALL  
Sample Type: Wipe

CHAS Lab #: 9112304-14N  
Date Received: 12/31/91

Polychlorinated Biphenyls (PCBs)

Extraction Date: 12/31/91  
Analysis Date: 01/01/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 2.0 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 2.0 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 2.0 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 2.0 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 2.0 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 2.0 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 2.0 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 100 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-RECR4KIT, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210069-01N  
Date Received: 10/06/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/09/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2233192-SRNO6A BLISS  
Sample Type: Wipe

CHAS Lab #: 9204005-08N  
Date Received: 04/01/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 04/01/92  
Analysis Date: 04/03/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | 0.2           | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2233192-SRN06B BLISS  
Sample Type: Wipe

CHAS Lab #: 9204005-09N  
Date Received: 04/01/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 04/01/92  
Analysis Date: 04/03/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2233192-SRN06C BLISS  
Sample Type: Wipe

CHAS Lab #: 9204005-10N  
Date Received: 04/01/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 04/01/92  
Analysis Date: 04/03/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | 0.3           | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.





Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2233192-SRNO6D BLISS  
Sample Type: Wipe

CHAS Lab #: 9204005-11N  
Date Received: 04/01/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 04/01/92  
Analysis Date: 04/03/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2233192-JC6 BLISS  
Sample Type: Wipe

CHAS Lab #: 9204001-02N  
Date Received: 04/01/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 04/01/92  
Analysis Date: 04/01/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2233192-STOR5 BLISS  
Sample Type: Wipe

CHAS Lab #: 9204005-02N  
Date Received: 04/01/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 04/01/92  
Analysis Date: 04/02/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND = Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-JC218, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210069-09N  
Date Received: 10/06/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/10/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2233192-STOR6 BLISS  
Sample Type: Wipe

CHAS Lab #: 9204005-03N  
Date Received: 04/01/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 04/01/92  
Analysis Date: 04/02/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.

PC4 STOR

Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-RCASTOR, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210069-07N  
Date Received: 10/06/92

## Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/09/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-JCLOUNGE, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210069-08N  
Date Received: 10/06/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/09/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-2SHW2, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210069-04N  
Date Received: 10/06/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/09/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.





Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-2SHW3, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210069-05N  
Date Received: 10/06/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/09/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.

Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-2SHW1, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210069-03N  
Date Received: 10/06/92

## Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/09/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-2SHW4, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210069-06N  
Date Received: 10/06/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/09/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2233192-2S1 BLISS  
Sample Type: Wipe

CHAS Lab #: 9204013-10N  
Date Received: 04/01/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 04/01/92  
Analysis Date: 04/03/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | 0.2           | ug/100 sq cm |

Notes: ND = Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2233192-2S3 BLISS  
Sample Type: Wipe

CHAS Lab #: 9204005-01N  
Date Received: 04/01/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 04/01/92  
Analysis Date: 04/02/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND = Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.

*Sony Neufelz*  
 Draft Summary of PCB Wipe Results  
**BLISS WIPE SAMPLES**  
 Samples Received 11/11/92

| CHAS Sample I.D. | Field I.D. | MDL * | Result *        |
|------------------|------------|-------|-----------------|
| 9211162-01N      | SRM07-BMCH | 0.1   | 0.9 as PCB 1260 |
| 9211162-02N      | SRM07-BMK2 | 0.1   | 0.7 as PCB 1260 |
| 9211162-03N      | SRM07-BMK1 | 0.1   | 0.2 as PCB 1260 |
| 9211162-04N      | SRM07-BILL | 0.1   | ND              |
| 9211162-05N      | SRM05-BMCH | 0.1   | 1.1 as PCB 1260 |
| 9211162-06N      | SRM05-BMK1 | 0.1   | 0.7 as PCB 1260 |
| 9211162-07N      | SRM05-BMK2 | 0.1   | 1.6 as PCB 1260 |
| 9211162-08N      | SRM05-BILL | 0.1   | ND              |
| 9211162-09N      | BLANK      | 0.1   | ND              |

Field I.D. prefix for all samples in set is 22111092-

\* UNITS = ug PCB's/100 sq cm

Data Reported By: *David Skinner 11/13/92*

Post-It™ brand fax transmittal memo 7871 # of pages > *28*

|                   |                 |
|-------------------|-----------------|
| To <i>Allison</i> | From <i>Sam</i> |
| Co.               | Co.             |
| Dept.             | Phone #         |
| Fax #             | Fax #           |

*Sony Neupertz*  
Draft Summary of PCB Wipe Results  
**BLISS WIPE SAMPLES**  
Samples Received 11/11/92

| CHGS Sample I.D. | Field I.D. | MDL * | Result *        |
|------------------|------------|-------|-----------------|
| 9211162-01H      | SRM07-BMCH | 0.1   | 0.9 as PCB 1260 |
| 9211162-02H      | SRM07-BMK2 | 0.1   | 0.7 as PCB 1260 |
| 9211162-03H      | SRM07-BMK1 | 0.1   | 0.2 as PCB 1260 |
| 9211162-04H      | SRM07-BILL | 0.1   | ND              |
| 9211162-05H      | SRM05-BMCH | 0.1   | 1.1 as PCB 1260 |
| 9211162-06H      | SRM05-BMK1 | 0.1   | 0.7 as PCB 1260 |
| 9211162-07H      | SRM05-BMK2 | 0.1   | 1.6 as PCB 1260 |
| 9211162-08H      | SRM05-BILL | 0.1   | ND              |
| 9211162-09H      | BLANK      | 0.1   | ND              |

Field I.D. prefix for all samples in set is 22111092-

\* UNITS = ug PCB's/100 sq cm

Data Reported By: *David Skinner* 11/13/92

Post-it™ brand fax transmittal memo 7671 # of pages *28*

|                   |                 |
|-------------------|-----------------|
| To <i>Allison</i> | From <i>Tom</i> |
| Co.               | Co.             |
| Dept.             | Phone #         |
| Fax #             | Fax #           |

*Sony New Patty*  
Draft Summary of PCB Wipe Results  
*BLISS Conf. 11/18/92*  
Samples Received 11/18/92

| <u>CHRS Sample I.D.</u> | <u>Field I.D.</u> | <u>NOL #</u> | <u>Result #</u> |
|-------------------------|-------------------|--------------|-----------------|
| 9211220-01M             | 314-PETR          | 0.1          | ND              |
| 9211220-02M             | LMSBLL            | 0.1          | 0.2 as PCB 1260 |
| 9211220-03M             | HEARTH-LNG        | 0.1          | 0.4 as PCB 1260 |
| 9211220-04M             | GRANDS-BICH       | 0.1          | 1.3 as PCB 1260 |
| 9211220-05M             | GRANDS-BILL       | 0.1          | 0.8 as PCB 1260 |
| 9211220-06M             | BLANK             | 0.1          | ND              |

Field I.D. prefix for all samples in set is 92111798-

\* UNITS = ug PCB's/100 sq cm

Data Reported By:

*Dwight L. Steiner 4/19/92*



Draft Summary of PCB Wipe Results

Samples Received 11/24/92

| CMMS Sample I.D. | Field I.D.  | MDL # | Result #        |
|------------------|-------------|-------|-----------------|
| 9211212-01N      | SONGS STALL | 0.1   | 0.3 as PCB 1260 |
| 9211212-02N      | BLANK       | 0.1   | ND              |

Field I.D. prefix for all samples in set is 22112392-

\* LIMITS = ug PCB's/100 sq cm

Data Reported By: David Williams 11/25/92

|  |              |            |   |
|--|--------------|------------|---|
| Post-It™ brand fax transmittal memo 7671 |              | # of pages | 2 |
| To                                       | Oliver/Allen |            |   |
| From                                     | Tom          |            |   |
| Co.                                      | Co.          |            |   |
| Dept.                                    | Phone #      |            |   |
| Fax #                                    | Fax #        |            |   |



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-JC201, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210066-09N  
Date Received: 10/06/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/10/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND = Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.

Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-JCSRNO5, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210066-10N  
Date Received: 10/06/92

## Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/10/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-2NHW1, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210066-05N  
Date Received: 10/06/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92

Analysis Date: 10/10/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-2NHW2, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210066-06N  
Date Received: 10/06/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/10/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-2NHW3, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210066-07N  
Date Received: 10/06/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/10/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND = Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.

Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-2NHW4, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210066-08N  
Date Received: 10/06/92

## Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/10/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.

Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2210592-2S2, BLISS  
Sample Type: Wipe

CHAS Lab #: 9210069-10N  
Date Received: 10/06/92

## Polychlorinated Biphenyls (PCBs)

Extraction Date: 10/08/92  
Analysis Date: 10/10/92

| Parameter          | MDL | Concentration | Units        |
|--------------------|-----|---------------|--------------|
| PCB - Aroclor 1016 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1221 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1232 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1242 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1248 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1254 | 0.1 | ND            | ug/100 sq cm |
| PCB - Aroclor 1260 | 0.1 | ND            | ug/100 sq cm |

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.