

# ELEVATOR SAMPLES

LOCATION	ID #	DATE	TYPE	RESULT	COMMENTS
GAGE (1 @ (30 cm X 30 cm))	21111592	01/15/92	WIPE	0.1 as 1260	1ST FLOOR ELEVATOR SHAFT
GAGE (1 @ (30 cm X 30 cm))	21112792-5	01/27/92	WIPE	1.1 as 1260	ELEVATOR WALL-PRE CLEAN
GAGE (1 @ (30 cm X 30 cm))	2152892-ELEV DOOR	5/28/92	WIPE	2.6 as 1260	FIRST FLOOR, INSIDE OF DOOR TO ELEVATOR SHAFT
GAGE (1 @ (30 cm X 30 cm))	2152892-TOP ELEVATOR				TOP OF ELEVATOR CAR
GAGE (1 @ (30 cm X 30 cm))		05/28/92	WIPE	26 as 1260	PRE CLEAN
GAGE (1 @ (30 cm X 30 cm))	21713912-5	07/13/92	WIPE	7.8 as 1260	TOP OF ELEVATOR CAR
GAGE (1 @ (30 cm X 30 cm))	2171692-TOP ELEV	07/16/92	WIPE	0.2 as 1260	1ST POST CLEAN
GAGE (1 @ (30 cm X 30 cm))	2152892-INELEV	05/28/92	WIPE	2.6 as 1260	TOP OF ELEVATOR CAR
GAGE (1 @ (30 cm X 30 cm))					2ND POST CLEAN
GAGE (1 @ (30 cm X 30 cm))					INSIDE ELEVATOR CAR, ON HAND RAIL AND BUTTONS
GAGE (1 @ (30 cm X 30 cm))					PRE CLEAN
GAGE (1 @ (30 cm X 30 cm))	2171392-3	07/13/92	WIPE	0.3 as 1260	INSIDE ELEVATOR CAR
GAGE (1 @ (30 cm X 30 cm))	2161692-1ST FLR ELEVATOR				POST CLEAN
GAGE (1 @ (30 cm X 30 cm))		06/16/92	WIPE	1.8 as 1260	ELEVATOR SHAFT AT 1ST FLOOR - PRE CLEAN
GAGE (1 @ (30 cm X 30 cm))	2171392-1	07/13/92	WIPE	0.3 as 1260	1ST FLOOR ELEVATOR SHAFT
GAGE (1 @ (30 cm X 30 cm))	2161692-2ND FLR ELEVATOR		WIPE	2.2 as 1260	POST CLEAN
GAGE (1 @ (30 cm X 30 cm))					ELEVATOR SHAFT AT 2ND FLOOR
GAGE (1 @ (30 cm X 30 cm))	2171392-2	07/13/92	WIPE	0.3 as 1260	PRE CLEAN
GAGE (1 @ (30 cm X 30 cm))	2161692-3RD FLR ELEVATOR				2ND FLOOR ELEVATOR SHAFT
GAGE (1 @ (30 cm X 30 cm))		06/16/92	WIPE	0.7 as 1260	POST CLEAN
GAGE (1 @ (30 cm X 30 cm))					ELEVATOR SHAFT AT 3RD FLOOR



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 21111592 GAGE  
Sample Type: Wipe

CHAS Lab #: 9201166-0  
Date Received: 01/16/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 01/16/92  
Analysis Date: 01/16/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	0.1	ND	ug/100 sq cm
PCB - Aroclor 1221	0.1	ND	ug/100 sq cm
PCB - Aroclor 1232	0.1	ND	ug/100 sq cm
PCB - Aroclor 1242	0.1	ND	ug/100 sq cm
PCB - Aroclor 1248	0.1	ND	ug/100 sq cm
PCB - Aroclor 1254	0.1	ND	ug/100 sq cm
PCB - Aroclor 1260	0.1	0.1	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 21112792-4 GAGE  
Sample Type: Wipe

CHAS Lab #: 9201311-05N  
Date Received: 01/28/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 01/28/92  
Analysis Date: 01/28/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	0.1	ND	ug/100 sq cm
PCB - Aroclor 1221	0.1	ND	ug/100 sq cm
PCB - Aroclor 1232	0.1	ND	ug/100 sq cm
PCB - Aroclor 1242	0.1	ND	ug/100 sq cm
PCB - Aroclor 1248	0.1	ND	ug/100 sq cm
PCB - Aroclor 1254	0.1	ND	ug/100 sq cm
PCB - Aroclor 1260	0.1	1.1	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2152892-ELEV DOOR, GAGE  
Sample Type: Wipe

CHAS Lab #: 9205308-01N  
Date Received: 05/29/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 05/29/92

Analysis Date: 05/29/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	0.1	ND	ug/100 sq cm
PCB - Aroclor 1221	0.1	ND	ug/100 sq cm
PCB - Aroclor 1232	0.1	ND	ug/100 sq cm
PCB - Aroclor 1242	0.1	ND	ug/100 sq cm
PCB - Aroclor 1248	0.1	ND	ug/100 sq cm
PCB - Aroclor 1254	0.1	ND	ug/100 sq cm
PCB - Aroclor 1260	0.1	2.6	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2152892-TOP ELEVATOR, GAGE  
Sample Type: Wipe

CHAS Lab #: 9205308-02N  
Date Received: 05/29/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 05/29/92  
Analysis Date: 05/29/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	26	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2171392-4 GAGE  
Sample Type: Wipe

CHAS Lab #: 9207142-04N  
Date Received: 07/14/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 07/14/92  
Analysis Date: 07/15/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	7.8	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2171692-TOP ELEV  
Sample Type: Wipe

CHAS Lab #: 9207200-01N  
Date Received: 07/16/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 07/16/92  
Analysis Date: 07/17/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	0.1	ND	ug/100 sq cm
PCB - Aroclor 1221	0.1	ND	ug/100 sq cm
PCB - Aroclor 1232	0.1	ND	ug/100 sq cm
PCB - Aroclor 1242	0.1	ND	ug/100 sq cm
PCB - Aroclor 1248	0.1	ND	ug/100 sq cm
PCB - Aroclor 1254	0.1	ND	ug/100 sq cm
PCB - Aroclor 1260	0.1	0.2	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2152892-INELEV, GAGE  
Sample Type: Wipe

CHAS Lab #: 9205308-05N  
Date Received: 05/29/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 05/29/92

Analysis Date: 05/29/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	0.1	ND	ug/100 sq cm
PCB - Aroclor 1221	0.1	ND	ug/100 sq cm
PCB - Aroclor 1232	0.1	ND	ug/100 sq cm
PCB - Aroclor 1242	0.1	ND	ug/100 sq cm
PCB - Aroclor 1248	0.1	ND	ug/100 sq cm
PCB - Aroclor 1254	0.1	ND	ug/100 sq cm
PCB - Aroclor 1260	0.1	2.6	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.





Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2171392-3 GAGE  
Sample Type: Wipe

CHAS Lab #: 9207142-03N  
Date Received: 07/14/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 07/14/92  
Analysis Date: 07/14/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	0.1	ND	ug/100 sq cm
PCB - Aroclor 1221	0.1	ND	ug/100 sq cm
PCB - Aroclor 1232	0.1	ND	ug/100 sq cm
PCB - Aroclor 1242	0.1	ND	ug/100 sq cm
PCB - Aroclor 1248	0.1	ND	ug/100 sq cm
PCB - Aroclor 1254	0.1	ND	ug/100 sq cm
PCB - Aroclor 1260	0.1	0.3	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2161692- 1ST FLR ELEVATOR, GAGE  
Sample Type: Wipe

CHAS Lab #: 9206249-01N  
Date Received: 06/17/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 06/17/92

Analysis Date: 06/17/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	0.1	ND	ug/100 sq cm
PCB - Aroclor 1221	0.1	ND	ug/100 sq cm
PCB - Aroclor 1232	0.1	ND	ug/100 sq cm
PCB - Aroclor 1242	0.1	ND	ug/100 sq cm
PCB - Aroclor 1248	0.1	ND	ug/100 sq cm
PCB - Aroclor 1254	0.1	ND	ug/100 sq cm
PCB - Aroclor 1260	0.1	1.8	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2171392-1 GAGE  
Sample Type: Wipe

CHAS Lab #: 9207142-01N  
Date Received: 07/14/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 07/14/92  
Analysis Date: 07/14/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	0.1	ND	ug/100 sq cm
PCB - Aroclor 1221	0.1	ND	ug/100 sq cm
PCB - Aroclor 1232	0.1	ND	ug/100 sq cm
PCB - Aroclor 1242	0.1	ND	ug/100 sq cm
PCB - Aroclor 1248	0.1	ND	ug/100 sq cm
PCB - Aroclor 1254	0.1	ND	ug/100 sq cm
PCB - Aroclor 1260	0.1	0.3	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2161692- 2ND FLR ELEVATOR, GAGE  
Sample Type: Wipe

CHAS Lab #: 9206249-02N  
Date Received: 06/17/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 06/17/92  
Analysis Date: 06/17/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	0.1	ND	ug/100 sq cm
PCB - Aroclor 1221	0.1	ND	ug/100 sq cm
PCB - Aroclor 1232	0.1	ND	ug/100 sq cm
PCB - Aroclor 1242	0.1	ND	ug/100 sq cm
PCB - Aroclor 1248	0.1	ND	ug/100 sq cm
PCB - Aroclor 1254	0.1	ND	ug/100 sq cm
PCB - Aroclor 1260	0.1	2.2	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2171392-2 GAGE  
Sample Type: Wipe

CHAS Lab #: 9207142-02N  
Date Received: 07/14/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 07/14/92  
Analysis Date: 07/14/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	0.1	ND	ug/100 sq cm
PCB - Aroclor 1221	0.1	ND	ug/100 sq cm
PCB - Aroclor 1232	0.1	ND	ug/100 sq cm
PCB - Aroclor 1242	0.1	ND	ug/100 sq cm
PCB - Aroclor 1248	0.1	ND	ug/100 sq cm
PCB - Aroclor 1254	0.1	ND	ug/100 sq cm
PCB - Aroclor 1260	0.1	0.3	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.  
Sample I.D.: 2161692- 3RD FLR ELEVATOR, GAGE  
Sample Type: Wipe

CHAS Lab #: 9206249-04N  
Date Received: 06/17/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 06/17/92  
Analysis Date: 06/17/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	0.1	ND	ug/100 sq cm
PCB - Aroclor 1221	0.1	ND	ug/100 sq cm
PCB - Aroclor 1232	0.1	ND	ug/100 sq cm
PCB - Aroclor 1242	0.1	ND	ug/100 sq cm
PCB - Aroclor 1248	0.1	ND	ug/100 sq cm
PCB - Aroclor 1254	0.1	ND	ug/100 sq cm
PCB - Aroclor 1260	0.1	0.7	ug/100 sq cm

Notes: ND = Below minimum detectable level (MDL)  
Wipe Area: 900 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.