


GAGE PERIMETER SPLIT SPOON SAMPLES

LOCATION	MAP ID #	SAMPLE ID #	DATE	RESULT	DEPTH FROM TOP OF SLAB	COMMENT
GAGE		2161692-B1,0'-1'	06/16/92	ND	1'-2'	VAULT SPLIT SPOON
GAGE		2161692-B1,1'-2'	06/16/92	1.4 as 1260	2'-3'	VAULT SPLIT SPOON
GAGE		2161692-B2,0'-1'	06/16/92	ND	1'-2'	VAULT SPLIT SPOON
GAGE		2161692-B2,1'-2'	06/16/92	1.1 as 1260	2'-3'	VAULT SPLIT SPOON
GAGE		2161692 B2,2'-3'	06/16/92	2.8 as 1260	3'-4'	VAULT SPLIT SPOON
GAGE		2161692 B3,0'-1'	06/16/92	ND	1'-2'	VAULT SPLIT SPOON
GAGE		2161692 B3,1'-2'	06/16/92	ND	2'-3'	VAULT SPLIT SPOON
GAGE		2161692 B3,2'-3'	06/16/92	ND	3'-4'	VAULT SPLIT SPOON
GAGE		2161692 B4,0'-1'	06/16/92	ND	1'-2'	VAULT SPLIT SPOON
GAGE		2161692 B4,1'-2'	06/16/92	ND	2'-3'	VAULT SPLIT SPOON
GAGE		B-5, 0'-1'	06/17/92	ND	6"-1'	REC. ROOM-SPLIT SPOON
GAGE		B-5,1'-2'	06/17/92	ND	1'-2'	REC. ROOM-SPLIT SPOON
GAGE		B-5,2'-3'	06/17/92	ND	2'-3'	REC. ROOM-SPLIT SPOON
GAGE		B-5,3'3"	06/17/92	ND	3'3"	REC. ROOM-SPLIT SPOON
GAGE		B-6,0'-1'	06/17/92	ND	6"-1'	REC. ROOM-SPLIT SPOON
GAGE		B-6,1'-2'	06/17/92	ND	1'-2'	REC. ROOM-SPLIT SPOON
GAGE		B-6,2'-3'	06/17/92	ND	2'-3'	REC. ROOM-SPLIT SPOON


GAGE EXCAVATION RESULTS

SAMPLES TAKEN 6/23

**SAMPLES TAKEN AT A DEPTH OF 3'3" (ACOMP1, BCOMP1)
3'7" (BCOMP2)**



GAGE EXCAVATION RESULTS
SAMPLES TAKEN 6/16
SAMPLES TAKEN AT A DEPTH OF 1'6" FROM TOP OF SLAB




SUNY

06/17/92

Gage Transformer Vault PCB Migration Plot

Page 1.0 Rev 1.0

Document # 6179205



B1	0-1	ND
B1	1-2	1.4
B2	0-1	ND
B2	1-2	1.1
B2	2-3	2.8
B3	0-1	ND
B3	1-2	ND
B3	2-3	ND
B4	0-1	ND
B4	2-3	ND
B5	0- 1	ND
B5	1- 2	ND
B5	2- 3	ND
B5	3'3"	ND
B6	0- 1	ND
B6	1- 2	ND
B6	2- 3	ND



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161692 VLTAl GAGE VAULT
Sample Type: Soil

CHAS Lab #: 9206248-01N
Date Received: 06/17/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3550/8080

Extraction Date: 06/17/92
Analysis Date: 06/18/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	10	ND	mg/kg
PCB - Aroclor 1221	10	ND	mg/kg
PCB - Aroclor 1232	10	ND	mg/kg
PCB - Aroclor 1242	10	ND	mg/kg
PCB - Aroclor 1248	10	ND	mg/kg
PCB - Aroclor 1254	10	ND	mg/kg
PCB - Aroclor 1260	10	47	mg/kg

Notes: ND - Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight
NA - Due to dilutions required to analyze the sample, the surrogate recovery was unable to be calculated.

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: NA

75-139%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161692 VLTAL GAGE VAULT
Sample Type: Soil

CHAS Lab #: 9206248-01N
Date Received: 06/17/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	94.1	%	06/17/92	209F(b)

Notes: ND - Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161692 VLTA2 GAGE VAULT
Sample Type: Soil

CHAS Lab #: 9206248-02N
Date Received: 06/17/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3550/8080

Extraction Date: 06/17/92
Analysis Date: 06/18/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	mg/kg
PCB - Aroclor 1221	1.0	ND	mg/kg
PCB - Aroclor 1232	1.0	ND	mg/kg
PCB - Aroclor 1242	1.0	ND	mg/kg
PCB - Aroclor 1248	1.0	ND	mg/kg
PCB - Aroclor 1254	1.0	ND	mg/kg
PCB - Aroclor 1260	1.0	3.0	mg/kg

Notes: ND - Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: 98.4 %

75-139%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161692 VLTA2 GAGE VAULT
Sample Type: Soil

CHAS Lab #: 9206248-02N
Date Received: 06/17/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	92.9	%	06/17/92	209F(b)

Notes: ND - Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161692 VLTB1 GAGE VAULT
Sample Type: Soil

CHAS Lab #: 9206248-03N
Date Received: 06/17/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3550/8080

Extraction Date: 06/17/92
Analysis Date: 06/18/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	10	ND	mg/kg
PCB - Aroclor 1221	10	ND	mg/kg
PCB - Aroclor 1232	10	ND	mg/kg
PCB - Aroclor 1242	10	ND	mg/kg
PCB - Aroclor 1248	10	ND	mg/kg
PCB - Aroclor 1254	10	ND	mg/kg
PCB - Aroclor 1260	10	40	mg/kg

Notes: ND - Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight
NA - Due to dilutions required to analyze the sample, the surrogate recovery was unable to be calculated.

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: NA

75-139%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161692 VLTB1 GAGE VAULT
Sample Type: Soil

CHAS Lab #: 9206248-03N
Date Received: 06/17/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	92.7	%	06/17/92	209F(b)

Notes: ND - Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161692 B1,0'-1' GAGE
Sample Type: Soil

CHAS Lab #: 9206247-01N
Date Received: 06/17/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3550/8080

Extraction Date: 06/17/92
Analysis Date: 06/18/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	mg/kg
PCB - Aroclor 1221	1.0	ND	mg/kg
PCB - Aroclor 1232	1.0	ND	mg/kg
PCB - Aroclor 1242	1.0	ND	mg/kg
PCB - Aroclor 1248	1.0	ND	mg/kg
PCB - Aroclor 1254	1.0	ND	mg/kg
PCB - Aroclor 1260	1.0	ND	mg/kg

Notes: ND - Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: 107%

75-139%



Client: Clean Harbors of Kingston, Inc.
Sampler I.D.: 2161692 B1,0'-1' GAGE
Sample Type: Soil

CHAS Lab #: 9206247-01N
Date Received: 06/17/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	95.0	%	06/17/92	209F(b)

Notes: ND - Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161692 B1,1'-2' GAGE
Sample Type: Soil

CHAS Lab #: 9206247-02N
Date Received: 06/17/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3550/8080

Extraction Date: 06/17/92
Analysis Date: 06/18/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	mg/kg
PCB - Aroclor 1221	1.0	ND	mg/kg
PCB - Aroclor 1232	1.0	ND	mg/kg
PCB - Aroclor 1242	1.0	ND	mg/kg
PCB - Aroclor 1248	1.0	ND	mg/kg
PCB - Aroclor 1254	1.0	ND	mg/kg
PCB - Aroclor 1260	1.0	1.4	mg/kg

Notes: ND - Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: 104%

75-139%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161692 B1,1'-2' GAGE
Sample Type: Soil

CHAS Lab #: 9206247-02N
Date Received: 06/17/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	95.2	%	06/17/92	209F(b)

Notes: ND - Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161692 B2,0'-1' GAGE
Sample Type: Soil

CHAS Lab #: 9206247-03N
Date Received: 06/17/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3550/8080

Extraction Date: 06/17/92
Analysis Date: 06/18/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	mg/kg
PCB - Aroclor 1221	1.0	ND	mg/kg
PCB - Aroclor 1232	1.0	ND	mg/kg
PCB - Aroclor 1242	1.0	ND	mg/kg
PCB - Aroclor 1248	1.0	ND	mg/kg
PCB - Aroclor 1254	1.0	ND	mg/kg
PCB - Aroclor 1260	1.0	ND	mg/kg

Notes: ND - Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: 107%

75-139%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161692 B2,0'-1' GAGE
Sample Type: Soil

CHAS Lab #: 9206247-03N
Date Received: 06/17/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	81.3	%	06/17/92	209F(b)

Notes: ND - Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161692 B2,1'-2' GAGE
Sample Type: Soil

CHAS Lab #: 9206247-04N
Date Received: 06/17/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3550/8080

Extraction Date: 06/17/92
Analysis Date: 06/18/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	mg/kg
PCB - Aroclor 1221	1.0	ND	mg/kg
PCB - Aroclor 1232	1.0	ND	mg/kg
PCB - Aroclor 1242	1.0	ND	mg/kg
PCB - Aroclor 1248	1.0	ND	mg/kg
PCB - Aroclor 1254	1.0	ND	mg/kg
PCB - Aroclor 1260	1.0	1.1	mg/kg

Notes: ND - Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: 105%

75-139%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161692 B2,1'-2' GAGE
Sample Type: Soil

CHAS Lab #: 9206247-04N
Date Received: 06/17/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	94.5	%	06/17/92	209F(b)

Notes: ND = Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161692 B2,2'-3' GAGE
Sample Type: Soil

CHAS Lab #: 9206247-05N
Date Received: 06/17/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3550/8080

Extraction Date: 06/18/92
Analysis Date: 06/18/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	mg/kg
PCB - Aroclor 1221	1.0	ND	mg/kg
PCB - Aroclor 1232	1.0	ND	mg/kg
PCB - Aroclor 1242	1.0	ND	mg/kg
PCB - Aroclor 1248	1.0	ND	mg/kg
PCB - Aroclor 1254	1.0	ND	mg/kg
PCB - Aroclor 1260	1.0	2.8	mg/kg

Notes: ND - Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: 92.2%

75-139%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161692 B2,2'-3' GAGE
Sample Type: Soil

CHAS Lab #: 9206247-05N
Date Received: 06/17/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	94.1	%	06/17/92	209F(b)

Notes: ND - Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161692 B3,0'-1' GAGE
Sample Type: Soil

CHAS Lab #: 9206247-06N
Date Received: 06/17/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3550/8080

Extraction Date: 06/18/92
Analysis Date: 06/18/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	mg/kg
PCB - Aroclor 1221	1.0	ND	mg/kg
PCB - Aroclor 1232	1.0	ND	mg/kg
PCB - Aroclor 1242	1.0	ND	mg/kg
PCB - Aroclor 1248	1.0	ND	mg/kg
PCB - Aroclor 1254	1.0	ND	mg/kg
PCB - Aroclor 1260	1.0	ND	mg/kg

Notes: ND - Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: 108%

75-139%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161692 B3,0'-1' GAGE
Sample Type: Soil

CHAS Lab #: 9206247-06N
Date Received: 06/17/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	93.3	%	06/17/92	209F(b)

Notes: ND = Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161692 B3,1'-2' GAGE
Sample Type: Soil

CHAS Lab #: 9206247-07N
Date Received: 06/17/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3550/8080

Extraction Date: 06/18/92
Analysis Date: 06/18/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	mg/kg
PCB - Aroclor 1221	1.0	ND	mg/kg
PCB - Aroclor 1232	1.0	ND	mg/kg
PCB - Aroclor 1242	1.0	ND	mg/kg
PCB - Aroclor 1248	1.0	ND	mg/kg
PCB - Aroclor 1254	1.0	ND	mg/kg
PCB - Aroclor 1260	1.0	ND	mg/kg

Notes: ND - Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: 107%

75-139%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161692 B3, 1'-2' GAGE
Sample Type: Soil

CHAS Lab #: 9206247-07N
Date Received: 06/17/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	92.9	%	06/17/92	209F(b)

Notes: ND - Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161692 B3,2'-3' GAGE
Sample Type: Soil

CHAS Lab #: 9206247-08N
Date Received: 06/17/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3550/8080

Extraction Date: 06/18/92
Analysis Date: 06/18/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	mg/kg
PCB - Aroclor 1221	1.0	ND	mg/kg
PCB - Aroclor 1232	1.0	ND	mg/kg
PCB - Aroclor 1242	1.0	ND	mg/kg
PCB - Aroclor 1248	1.0	ND	mg/kg
PCB - Aroclor 1254	1.0	ND	mg/kg
PCB - Aroclor 1260	1.0	ND	mg/kg

Notes: ND = Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: 102%

75-139%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161692 B3,2'-3' GAGE
Sample Type: Soil

CHAS Lab #: 9206247-08N
Date Received: 06/17/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	95.2	%	06/17/92	209F(b)

Notes: ND - Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161692 B4,0'-1' GAGE
Sample Type: Soil

CHAS Lab #: 9206247-09N
Date Received: 06/17/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3550/8080

Extraction Date: 06/18/92
Analysis Date: 06/18/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	mg/kg
PCB - Aroclor 1221	1.0	ND	mg/kg
PCB - Aroclor 1232	1.0	ND	mg/kg
PCB - Aroclor 1242	1.0	ND	mg/kg
PCB - Aroclor 1248	1.0	ND	mg/kg
PCB - Aroclor 1254	1.0	ND	mg/kg
PCB - Aroclor 1260	1.0	ND	mg/kg

Notes: ND - Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: 101%

75-139%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161692 B4,0'-1' GAGE
Sample Type: Soil

CHAS Lab #: 9206247-09N
Date Received: 06/17/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	92.7	%	06/17/92	209F(b)

Notes: ND - Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161692 B4,1'-2' GAGE
Sample Type: Soil

CHAS Lab #: 9206247-10N
Date Received: 06/17/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3550/8080

Extraction Date: 06/18/92
Analysis Date: 06/18/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	mg/kg
PCB - Aroclor 1221	1.0	ND	mg/kg
PCB - Aroclor 1232	1.0	ND	mg/kg
PCB - Aroclor 1242	1.0	ND	mg/kg
PCB - Aroclor 1248	1.0	ND	mg/kg
PCB - Aroclor 1254	1.0	ND	mg/kg
PCB - Aroclor 1260	1.0	ND	mg/kg

Notes: ND - Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: 101%

75-139%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161692 B4,1'-2' GAGE
Sample Type: Soil

CHAS Lab #: 9206247-10N
Date Received: 06/17/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	93.0	%	06/17/92	209F(b)

Notes: ND - Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161792 B-5, 0'-1'
Sample Type: Soil

CHAS Lab #: 9206265-01N
Date Received: 06/18/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3540/8080

Extraction Date: 06/18/92
Analysis Date: 06/20/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	mg/kg
PCB - Aroclor 1221	1.0	ND	mg/kg
PCB - Aroclor 1232	1.0	ND	mg/kg
PCB - Aroclor 1242	1.0	ND	mg/kg
PCB - Aroclor 1248	1.0	ND	mg/kg
PCB - Aroclor 1254	1.0	ND	mg/kg
PCB - Aroclor 1260	1.0	ND	mg/kg

Notes: ND - Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: 105%

78-148%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161792 B-5, 0'-1'
Sample Type: Soil

CHAS Lab #: 9206265-01N
Date Received: 06/18/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	94.0	%	06/18/92	209F(b)

Notes: ND - Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161792 B-5, 1'-2'
Sample Type: Soil

CHAS Lab #: 9206265-02N
Date Received: 06/18/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3540/8080

Extraction Date: 06/18/92
Analysis Date: 06/20/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	mg/kg
PCB - Aroclor 1221	1.0	ND	mg/kg
PCB - Aroclor 1232	1.0	ND	mg/kg
PCB - Aroclor 1242	1.0	ND	mg/kg
PCB - Aroclor 1248	1.0	ND	mg/kg
PCB - Aroclor 1254	1.0	ND	mg/kg
PCB - Aroclor 1260	1.0	ND	mg/kg

Notes: ND = Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: 107%

78-148%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161792 B-5, 1'-2'
Sample Type: Soil

CHAS Lab #: 9206265-02N
Date Received: 06/18/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	95.3	%	06/18/92	209F(b)

Notes: ND - Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161792 B-5, 2'-3'
Sample Type: Soil

CHAS Lab #: 9206265-03N
Date Received: 06/18/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3540/8080

Extraction Date: 06/18/92
Analysis Date: 06/20/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	mg/kg
PCB - Aroclor 1221	1.0	ND	mg/kg
PCB - Aroclor 1232	1.0	ND	mg/kg
PCB - Aroclor 1242	1.0	ND	mg/kg
PCB - Aroclor 1248	1.0	ND	mg/kg
PCB - Aroclor 1254	1.0	ND	mg/kg
PCB - Aroclor 1260	1.0	ND	mg/kg

Notes: ND - Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: 103%

78-148%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161792 B-5, 2'-3'
Sample Type: Soil

CHAS Lab #: 9206265-03N
Date Received: 06/18/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	92.9	%	06/18/92	209F(b)

Notes: ND - Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161792 B-5, 3'3"
Sample Type: Soil

CHAS Lab #: 9206265-04N
Date Received: 06/18/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3540/8080

Extraction Date: 06/18/92
Analysis Date: 06/21/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	mg/kg
PCB - Aroclor 1221	1.0	ND	mg/kg
PCB - Aroclor 1232	1.0	ND	mg/kg
PCB - Aroclor 1242	1.0	ND	mg/kg
PCB - Aroclor 1248	1.0	ND	mg/kg
PCB - Aroclor 1254	1.0	ND	mg/kg
PCB - Aroclor 1260	1.0	ND	mg/kg

Notes: ND - Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: 110%

78-148%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161792 B-5, 3'3"
Sample Type: Soil

CHAS Lab #: 9206265-04N
Date Received: 06/18/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	94.6	%	06/18/92	209F(b)

Notes: ND = Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.

Sample I.D.: 2161792 B-6, 0'-1'

Sample Type: Soil

CHAS Lab #: 9206265-05N

Date Received: 06/18/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3540/8080

Extraction Date: 06/18/92

Analysis Date: 06/21/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	mg/kg
PCB - Aroclor 1221	1.0	ND	mg/kg
PCB - Aroclor 1232	1.0	ND	mg/kg
PCB - Aroclor 1242	1.0	ND	mg/kg
PCB - Aroclor 1248	1.0	ND	mg/kg
PCB - Aroclor 1254	1.0	ND	mg/kg
PCB - Aroclor 1260	1.0	ND	mg/kg

Notes: ND = Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: 118%

78-148%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161792 B-6, 0'-1'
Sample Type: Soil

CHAS Lab #: 9206265-05N
Date Received: 06/18/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	92.6	%	06/18/92	209F(b)

Notes: ND - Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161792 B-6, 1'-2'
Sample Type: Soil

CHAS Lab #: 9206265-06N
Date Received: 06/18/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3540/8080

Extraction Date: 06/18/92
Analysis Date: 06/21/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	mg/kg
PCB - Aroclor 1221	1.0	ND	mg/kg
PCB - Aroclor 1232	1.0	ND	mg/kg
PCB - Aroclor 1242	1.0	ND	mg/kg
PCB - Aroclor 1248	1.0	ND	mg/kg
PCB - Aroclor 1254	1.0	ND	mg/kg
PCB - Aroclor 1260	1.0	ND	mg/kg

Notes: ND = Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: 114%

78-148%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161792 B-6, 1'-2'
Sample Type: Soil

CHAS Lab #: 9206265-06N
Date Received: 06/18/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	91.2	%	06/18/92	209F(b)

Notes: ND - Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161792 B-6, 2'-3'
Sample Type: Soil

CHAS Lab #: 9206265-07N
Date Received: 06/18/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3540/8080

Extraction Date: 06/18/92
Analysis Date: 06/21/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	mg/kg
PCB - Aroclor 1221	1.0	ND	mg/kg
PCB - Aroclor 1232	1.0	ND	mg/kg
PCB - Aroclor 1242	1.0	ND	mg/kg
PCB - Aroclor 1248	1.0	ND	mg/kg
PCB - Aroclor 1254	1.0	ND	mg/kg
PCB - Aroclor 1260	1.0	ND	mg/kg

Notes: ND - Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: 117%

78-148%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161792 B-6, 2'-3'
Sample Type: Soil

CHAS Lab #: 9206265-07N
Date Received: 06/18/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	91.8	%	06/18/92	209F(b)

Notes: ND - Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.