


GAGE VAULT SPLIT SPOON SAMPLES

LOCATION	MAP ID #	SAMPLE ID #	DATE	RESULT	DEPTH FROM TOP OF SLAB	COMMENT
GAGE		216992-NWUPPER	06/09/92	ND	2' 6"	NORTH WEST CORNER VAULT SPLIT SPOON
GAGE		216992-NEUPPER	06/09/92	4.2 as 1260	2' 6"	NORTH EAST CORNER VAULT SPLIT SPOON
GAGE		216992-MIDDLEUPPER	06/09/92	23 as 1260	2' 6"	MIDDLE OF VAULT VAULT SPLIT SPOON
GAGE		216992-MIDDLELOWER	06/09/92	1.1 as 1260	2' 6"	MIDDLE OF VAULT SPLIT SPOON
GAGE		2161192-SE-B2-2'-3'	06/11/92	ND	2'-3'	VAULT SOUTH EAST CORNER-SPLIT SPOON
GAGE		2161192-SE-B2-3'-4'	06/11/92	ND	3'-4'	VAULT SOUTH WEST CORNER-SPLIT SPOON
GAGE		2161192-SW-B3-2'-3'	06/11/92	24 as 1260	2'-3'	VAULT SOUTH WEST CORNER-SPLIT SPOON
GAGE		2161192-SW-B3-3'-4'	06/11/92	2.7 as 1260	3'-4'	VAULT SOUTH WEST

SUNY
06/09/92
Gage Vault Excavation
PGE 1.0 REV. 1.0
Document # 6099204





Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 216992-NWUPPER, GAGE
Sample Type: Soil

CHAS Lab #: 9206144-01N
Date Received: 06/10/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3550/8080

Extraction Date: 06/10/92
Analysis Date: 06/11/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	mg/kg
PCB - Aroclor 1221	1.0	ND	mg/kg
PCB - Aroclor 1232	1.0	ND	mg/kg
PCB - Aroclor 1242	1.0	ND	mg/kg
PCB - Aroclor 1248	1.0	ND	mg/kg
PCB - Aroclor 1254	1.0	ND	mg/kg
PCB - Aroclor 1260	1.0	ND	mg/kg

Notes: ND - Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: 105%

75-139%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 216992-NWUPPER, GAGE
Sample Type: Soil

CHAS Lab #: 9206144-01N
Date Received: 06/10/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	92.0	%	06/10/92	209F(b)

Notes: ND - Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 216992-NEUPPER, GAGE
Sample Type: Soil

CHAS Lab #: 9206144-02N
Date Received: 06/10/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3550/8080

Extraction Date: 06/10/92
Analysis Date: 06/11/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	mg/kg
PCB - Aroclor 1221	1.0	ND	mg/kg
PCB - Aroclor 1232	1.0	ND	mg/kg
PCB - Aroclor 1242	1.0	ND	mg/kg
PCB - Aroclor 1248	1.0	ND	mg/kg
PCB - Aroclor 1254	1.0	ND	mg/kg
PCB - Aroclor 1260	1.0	4.2	mg/kg

Notes: ND - Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: 92.8%

75-139%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 216992-NEUPPER, GAGE
Sample Type: Soil

CHAS Lab #: 9206144-02N
Date Received: 06/10/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	93.0	%	06/10/92	209F(b)

Notes: ND - Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 216992-MIDDLEUPPER, GAGE
Sample Type: Soil

CHAS Lab #: 9206144-03N
Date Received: 06/10/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3550/8080

Extraction Date: 06/10/92
Analysis Date: 06/10/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	10	ND	mg/kg
PCB - Aroclor 1221	10	ND	mg/kg
PCB - Aroclor 1232	10	ND	mg/kg
PCB - Aroclor 1242	10	ND	mg/kg
PCB - Aroclor 1248	10	ND	mg/kg
PCB - Aroclor 1254	10	ND	mg/kg
PCB - Aroclor 1260	10	23	mg/kg

Notes: ND - Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight
NA - Due to dilutions required to analyze the sample, the surrogate recovery was unable to be calculated.

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: NA

75-139%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 216992-MIDDLEUPPER, GAGE
Sample Type: Soil

CHAS Lab #: 9206144-03N
Date Received: 06/10/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	91.8	%	06/10/92	209F(b)

Notes: ND - Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 216992-MIDDLELOWER, GAGE
Sample Type: Soil

CHAS Lab #: 9206144-04N
Date Received: 06/10/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3550/8080

Extraction Date: 06/10/92
Analysis Date: 06/11/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	mg/kg
PCB - Aroclor 1221	1.0	ND	mg/kg
PCB - Aroclor 1232	1.0	ND	mg/kg
PCB - Aroclor 1242	1.0	ND	mg/kg
PCB - Aroclor 1248	1.0	ND	mg/kg
PCB - Aroclor 1254	1.0	ND	mg/kg
PCB - Aroclor 1260	1.0	1.1	mg/kg

Notes: ND - Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: 107%

75-139%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 216992-MIDDLELOWER, GAGE
Sample Type: Soil

CHAS Lab #: 9206144-04N
Date Received: 06/10/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	92.5	%	06/10/92	209F(b)

Notes: ND = Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161192-SE-B2-2-3' GAGE
Sample Type: Soil

CHAS Lab #: 9206192-01N
Date Received: 06/12/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3540/8080

Extraction Date: 06/16/92
Analysis Date: 06/27/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	mg/kg
PCB - Aroclor 1221	1.0	ND	mg/kg
PCB - Aroclor 1232	1.0	ND	mg/kg
PCB - Aroclor 1242	1.0	ND	mg/kg
PCB - Aroclor 1248	1.0	ND	mg/kg
PCB - Aroclor 1254	1.0	ND	mg/kg
PCB - Aroclor 1260	1.0	ND	mg/kg

Notes: ND - Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: 99.6%

78-148%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161192-SE-B2-2-3' GAGE
Sample Type: Soil

CHAS Lab #: 9206192-01N
Date Received: 06/12/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	90.4	%	06/15/92	209F(b)

Notes: ND - Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161192-SE-B2-3-4' GAGE
Sample Type: Soil

CHAS Lab #: 9206192-02N
Date Received: 06/12/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3540/8080

Extraction Date: 06/16/92
Analysis Date: 06/27/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	mg/kg
PCB - Aroclor 1221	1.0	ND	mg/kg
PCB - Aroclor 1232	1.0	ND	mg/kg
PCB - Aroclor 1242	1.0	ND	mg/kg
PCB - Aroclor 1248	1.0	ND	mg/kg
PCB - Aroclor 1254	1.0	ND	mg/kg
PCB - Aroclor 1260	1.0	ND	mg/kg

Notes: ND = Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: 122%

78-148%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161192-SE-B2-3-4' GAGE
Sample Type: Soil

CHAS Lab #: 9206192-02N
Date Received: 06/12/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	84.3	%	06/15/92	209F(b)

Notes: ND - Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161192-SW-B3-2-3' GAGE
Sample Type: Soil

CHAS Lab #: 9206192-03N
Date Received: 06/12/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3540/8080

Extraction Date: 06/16/92
Analysis Date: 06/27/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	10	ND	mg/kg
PCB - Aroclor 1221	10	ND	mg/kg
PCB - Aroclor 1232	10	ND	mg/kg
PCB - Aroclor 1242	10	ND	mg/kg
PCB - Aroclor 1248	10	ND	mg/kg
PCB - Aroclor 1254	10	ND	mg/kg
PCB - Aroclor 1260	10	24	mg/kg

Notes: ND - Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight
NA - Due to dilutions required to analyze the sample, the surrogate recovery was unable to be calculated.

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: NA

78-148%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161192-SW-B3-2-3' GAGE
Sample Type: Soil

CHAS Lab #: 9206192-03N
Date Received: 06/12/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	90.7	%	06/15/92	209F(b)

Notes: ND - Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161192-SW-B3-3-4' GAGE
Sample Type: Soil

CHAS Lab #: 9206192-04N
Date Received: 06/12/92

Polychlorinated Biphenyls (PCBs)
by EPA Method 3540/8080

Extraction Date: 06/16/92
Analysis Date: 06/27/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	mg/kg
PCB - Aroclor 1221	1.0	ND	mg/kg
PCB - Aroclor 1232	1.0	ND	mg/kg
PCB - Aroclor 1242	1.0	ND	mg/kg
PCB - Aroclor 1248	1.0	ND	mg/kg
PCB - Aroclor 1254	1.0	ND	mg/kg
PCB - Aroclor 1260	1.0	2.7	mg/kg

Notes: ND - Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight
NA - Due to dilutions required to analyze the sample, the surrogate recovery was unable to be calculated.

QA/QC

Surrogate Recovery

Acceptance Criteria

Hexabromobenzene: NA

78-148%



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2161192-SW-B3-3-4' GAGE
Sample Type: Soil

CHAS Lab #: 9206192-04N
Date Received: 06/12/92

Parameter	MDL	Result	Units	Analysis Date	Method Number and Reference
Total Solids	--	91.9	%	06/15/92	209F(b)

Notes: ND - Below minimum detectable level (MDL)
Soil/solid samples based on sample dry weight.