

CTM Analytical Laboratories, Ltd.

PAGE 6

15 Century Hill Drive
P.O. Box 727
Latham, NY 12110
518-786-7100
FAX 518-786-7139



GC/MS
GC
ICAP
Sampling Services

CLEAN HARBORS *
75 SOUTH MANHEIM BLVD.
NEW PALTZ NY 12561

CTM PROJECT #: 94.02008

Attention: MS. ALLISON SMITH

CTM Task #: 940818F

Purchase Order Number: NY6786
Date Sampled: 08/10/94 Time: 00:00
Sampled By : N/A
Sample Id: 21081094-AC17A
Location : SUNY NEW PALTZ,GAGE

CTM Sample No: 940818F 06
Date Received: 08/18/94
Collection Method: COMPOSITE
Matrix: AIR

Parameters and Standard Methodology Used

PCB-1016	NYS DOH 311-1
PCB-1221	NYS DOH 311-1
PCB-1232	NYS DOH 311-1
PCB-1242	NYS DOH 311-1
PCB-1248	NYS DOH 311-1
PCB-1254	NYS DOH 311-1
PCB-1260	NYS DOH 311-1
EXTRACTION FOR PCBS	NYS DOH 311-1
TOTAL VOLUME	

<u>Results</u>	<u>PQL</u>	<u>Unit</u>	<u>Analyst Referenc</u>
ND	0.06	MCG/M3	GC88:100 8/23/94
ND	0.06	MCG/M3	GC88:100 8/23/94
ND	0.06	MCG/M3	GC88:97 8/22/94
ND	0.06	MCG/M3	GC88:97 8/22/94
ND	0.06	MCG/M3	GC88:97 8/22/94
ND	0.06	MCG/M3	GC88:97 8/22/94
ND	0.06	MCG/M3	GC88:97 8/22/94
COMPLETED			DO 8/19/94
0.84		M3	GC88:97 8/22/94

REMARKS:

LEGEND: MG/KG=PPM, MCG/KG=PPB, MG/L=PPM, MCG/L=PPB, MCG/G=PPM

CTM Analytical Laboratories, Ltd.

15 Century Hill Drive
P.O. Box 727
Latham, NY 12110
518-786-7100
FAX 518-786-7139

PAGE 7



GC/MS
GC
ICAP
Sampling Services

CLEAN HARBORS *
75 SOUTH MANHEIM BLVD.
NEW PALTZ NY 12561

CTM PROJECT #: 94.02008

CTM Task #: 940818F

Attention: MS. ALLISON SMITH

Purchase Order Number: NY6786
Date Sampled: 08/11/94 Time: 00:00
Sampled By : N/A
Sample Id: 21081194-035
Location : SUNY NEW PALTZ, GAGE

CTM Sample No: 940818F 07
Date Received: 08/18/94
Collection Method: COMPOSITE
Matrix: AIR

Parameters and Standard Methodology Used

PCB-1016	NYS DOH 311-1
PCB-1221	NYS DOH 311-1
PCB-1232	NYS DOH 311-1
PCB-1242	NYS DOH 311-1
PCB-1248	NYS DOH 311-1
PCB-1254	NYS DOH 311-1
PCB-1260	NYS DOH 311-1
EXTRACTION FOR PCBs	NYS DOH 311-1
TOTAL VOLUME	

<u>Results</u>	<u>PQL</u>	<u>Unit</u>	<u>Analyst Reference</u>
0.09	0.06	MCG/M3	GC88:100 8/23/94
ND	0.06	MCG/M3	GC88:100 8/23/94
ND	0.06	MCG/M3	GC88:98 8/22/94
ND	0.06	MCG/M3	GC88:98 8/22/94
ND	0.06	MCG/M3	GC88:98 8/22/94
ND	0.06	MCG/M3	GC88:98 8/22/94
0.09	0.06	MCG/M3	GC88:98 8/22/94
COMPLETED			DO 8/19/94
0.90		M3	GC88:98 8/22/94

REMARKS:

LEGEND: MG/KG=PPM, MCG/KG=PPB, MG/L=PPM, MCG/L=PPB, MCG/G=PPM

CTM Analytical Laboratories, Ltd.

PAGE 8

15 Century Hill Drive
P.O. Box 727
Latham, NY 12110
518-786-7100
FAX 518-786-7139



GC/MS
GC
ICAP
Sampling Services

CLEAN HARBORS *
75 SOUTH MANHEIM BLVD.
NEW PALTZ NY 12561

CTM PROJECT #: 94.02008**Attention: MS. ALLISON SMITH****CTM Task #: 940818F**

Purchase Order Number: NY6786
Date Sampled: 08/11/94 Time: 00:00
Sampled By : N/A
Sample Id: 21081194-AC07
Location : SUNY NEW PALTZ, GAGE

CTM Sample No: 940818F 08
Date Received: 08/18/94
Collection Method: COMPOSITE
Matrix: AIR

Parameters and Standard Methodology Used

PCB-1016	NYS DOH 311-1
PCB-1221	NYS DOH 311-1
PCB-1232	NYS DOH 311-1
PCB-1242	NYS DOH 311-1
PCB-1248	NYS DOH 311-1
PCB-1254	NYS DOH 311-1
PCB-1260	NYS DOH 311-1
EXTRACTION FOR PCBs	NYS DOH 311-1
TOTAL VOLUME	

<u>Results</u>	<u>PQL</u>	<u>Unit</u>	<u>Analyst Reference</u>
0.06	0.04	MCG/M3	GC88:100 8/23/94
ND	0.04	MCG/M3	GC88:100 8/23/94
ND	0.04	MCG/M3	GC88:98 8/23/94
ND	0.04	MCG/M3	GC88:98 8/23/94
ND	0.04	MCG/M3	GC88:98 8/23/94
ND	0.04	MCG/M3	GC88:98 8/23/94
0.06	0.04	MCG/M3	GC88:98 8/23/94
COMPLETED			DO 8/19/94
1.28		M3	GC88:98 8/23/94

REMARKS:**LEGEND: MG/KG=PPM, MCG/KG=PPB, MG/L=PPM, MCG/L=PPB, MCG/G=PPM**

CTM Analytical Laboratories, Ltd.

PAGE 9

15 Century Hill Drive
P.O. Box 727
Latham, NY 12110
518-786-7100
FAX 518-786-7139



GC/MS
GC
ICAP
Sampling Services

CLEAN HARBORS ***75 SOUTH MANHEIM BLVD.****NEW PALTZ NY 12561****Attention: MS. ALLISON SMITH****Purchase Order Number: NY6786****Date Sampled: 08/11/94 Time: 00:00****Sampled By : N/A****Sample Id: 21081194-AC06****Location : SUNY NEW PALTZ, GAGE****CTM PROJECT #: 94.02008****CTM Task #: 940818F****CTM Sample No: 940818F 09****Date Received: 08/18/94****Collection Method: COMPOSITE****Matrix: AIR****Parameters and Standard Methodology Used**

PCB-1016	NYS DOH 311-1
PCB-1221	NYS DOH 311-1
PCB-1232	NYS DOH 311-1
PCB-1242	NYS DOH 311-1
PCB-1248	NYS DOH 311-1
PCB-1254	NYS DOH 311-1
PCB-1260	NYS DOH 311-1
EXTRACTION FOR PCBs	NYS DOH 311-1
TOTAL VOLUME	

<u>Results</u>	<u>PQL</u>	<u>Unit</u>	<u>Analyst Reference</u>
ND	0.06	MCG/M3	GC88:100 8/23/94
ND	0.06	MCG/M3	GC88:100 8/23/94
ND	0.06	MCG/M3	GC88:98 8/23/94
ND	0.06	MCG/M3	GC88:98 8/23/94
ND	0.06	MCG/M3	GC88:98 8/23/94
ND	0.06	MCG/M3	GC88:98 8/23/94
0.08	0.06	MCG/M3	GC88:98 8/23/94
COMPLETED			DO 8/19/94
0.9		M3	GC88:98 8/23/94

REMARKS:**LEGEND: MG/KG=PPM, MCG/KG=PPB, MG/L=PPM, MCG/L=PPB, MCG/G=PPM**

CTM Analytical Laboratories, Ltd.

PAGE 10

15 Century Hill Drive
P.O. Box 727
Latham, NY 12110
518-786-7100
FAX 518-786-7139



GC/MS
GC
ICAP
Sampling Services

CLEAN HARBORS *
75 SOUTH MANHEIM BLVD.
NEW PALTZ NY 12561

CTM PROJECT #: 94.02008

Attention: MS. ALLISON SMITH

CTM Task #: 940818F

Purchase Order Number: NY6786
Date Sampled: 08/11/94 Time: 00:00
Sampled By : N/A
Sample Id: 21081194-AC17A
Location : SUNY NEW PALTZ,GAGE

CTM Sample No: 940818F 10
Date Received: 08/18/94
Collection Method: COMPOSITE
Matrix: AIR

Parameters and Standard Methodology Used

PCB-1016	NYS DOH 311-1
PCB-1221	NYS DOH 311-1
PCB-1232	NYS DOH 311-1
PCB-1242	NYS DOH 311-1
PCB-1248	NYS DOH 311-1
PCB-1254	NYS DOH 311-1
PCB-1260	NYS DOH 311-1
EXTRACTION FOR PCBs	NYS DOH 311-1
TOTAL VOLUME	

<u>Results</u>	<u>PQL</u>	<u>Unit</u>	<u>Analyst Reference</u>
0.07	0.06	MCG/M3	GC88:100 8/23/94
ND	0.06	MCG/M3	GC88:100 8/23/94
ND	0.06	MCG/M3	GC88:100 8/23/94
ND	0.06	MCG/M3	GC88:98 8/23/94
ND	0.06	MCG/M3	GC88:98 8/23/94
0.09	0.06	MCG/M3	GC88:98 8/23/94
ND	0.06	MCG/M3	GC88:98 8/23/94
COMPLETED			DO 8/19/94
0.81		M3	GC88:98 8/23/94

REMARKS:

LEGEND: MG/KG=PPM, MCG/KG=PPB, MG/L=PPM, MCG/L=PPB, MCG/G=PPM

CTM Analytical Laboratories, Ltd.

PAGE 11

15 Century Hill Drive
P.O. Box 727
Latham, NY 12110
518-786-7100
FAX 518-786-7139



GC/MS
GC
ICAP
Sampling Services

CLEAN HARBORS *
75 SOUTH MANHEIM BLVD.
NEW PALTZ NY 12561

Attention: MS. ALLISON SMITH

Purchase Order Number: NY6786
Date Sampled: 08/11/94 Time: 00:00
Sampled By : N/A
Sample Id: 21081194-ALB02
Location : SUNY NEW PALTZ, GAGE

CTM PROJECT #: 94.02008

CTM Task #: 940818F

CTM Sample No: 940818F 11
Date Received: 08/18/94
Collection Method: COMPOSITE
Matrix: AIR

Parameters and Standard Methodology Used

PCB-1016	NYS DOH 311-1
PCB-1221	NYS DOH 311-1
PCB-1232	NYS DOH 311-1
PCB-1242	NYS DOH 311-1
PCB-1248	NYS DOH 311-1
PCB-1254	NYS DOH 311-1
PCB-1260	NYS DOH 311-1
EXTRACTION FOR PCBS	NYS DOH 311-1
TOTAL VOLUME	

<u>Results</u>	<u>PQL</u>	<u>Unit</u>	<u>Analyst Reference</u>
ND	0.05	MCG/M3	GC88:100 8/23/94
ND	0.05	MCG/M3	GC88:100 8/23/94
ND	0.05	MCG/M3	GC88:98 8/23/94
ND	0.05	MCG/M3	GC88:98 8/23/94
ND	0.05	MCG/M3	GC88:98 8/23/94
ND	0.05	MCG/M3	GC88:98 8/23/94
ND	0.05	MCG/M3	GC88:98 8/23/94
COMPLETED			DO 8/19/94
0.95		M3	GC88:98 8/23/94

REMARKS:

LEGEND: MG/KG=PPM, MCG/KG=PPB, MG/L=PPM, MCG/L=PPB, MCG/G=PPB

CTM Analytical Laboratories, Ltd.

15 Century Hill Drive
P.O. Box 727
Latham, NY 12110
518-786-7100
FAX 518-786-7139

PAGE 12



GC/MS
GC
ICAP
Sampling Services

CLEAN HARBORS *
75 SOUTH MANHEIM BLVD.
NEW PALTZ NY 12561

Attention: MS. ALLISON SMITH

Purchase Order Number: NY6786
Date Sampled: 08/11/94 Time: 00:00
Sampled By : N/A
Sample Id: 21081194-AC17
Location : SUNY NEW PALTZ,GAGE

CTM PROJECT #: 94.02008

CTM Task #: 940818F

CTM Sample No: 940818F 12
Date Received: 08/18/94
Collection Method: COMPOSITE
Matrix: AIR

Parameters and Standard Methodology Used

PCB-1016	NYS DOH 311-1
PCB-1221	NYS DOH 311-1
PCB-1232	NYS DOH 311-1
PCB-1242	NYS DOH 311-1
PCB-1248	NYS DOH 311-1
PCB-1254	NYS DOH 311-1
PCB-1260	NYS DOH 311-1
EXTRACTION FOR PCBs	NYS DOH 311-1
TOTAL VOLUME	

Results	PQL	Unit	Analyst Reference
0.11	0.06	MCG/M3	GC88:100 8/23/94
ND	0.06	MCG/M3	GC88:100 8/23/94
ND	0.06	MCG/M3	GC88:98 8/23/94
ND	0.06	MCG/M3	GC88:98 8/23/94
ND	0.06	MCG/M3	GC88:98 8/23/94
0.2	0.06	MCG/M3	GC88:98 8/23/94
ND	0.06	MCG/M3	GC88:98 8/23/94
COMPLETED			DO 8/19/94
0.81		M3	GC88:98 8/23/94

REMARKS:

END OF REPORT

LEGEND: MG/KG=PPM, MCG/KG=PPB, MG/L=PPM, MCG/L=PPB, MCG/G=PPM