









GAGE HALL



EXIT

RECOR MAIN LOUNGE #2	STAIRS + CLOSET JC 61	116	118	120	122	123	PROCTOR 124	STUDY RECE Room #3
COAT Room	115	117	119	121	125	126	128	130
MEN'S ROOM MURR FURRT	127	129	131	RECEP. + STUDY Room #1	STAIRS	JC #8	DOOR	
LADIES ROOM FURRT								
BATH								

GAGE FIRST FLOOR WEST

210	211	212	213	215	217	PROCTOR	STAIRS	REC'D STUDY ROOM #5	223	224
209	208	206	204	202	STAIRS	209	208	206	204	202
207	205	203	201	PROCTOR	207	205	203	201	PROCTOR	207
204	202	200	198	196	194	192	190	188	186	184
201	199	197	195	193	191	189	187	185	183	181
198	196	194	192	190	188	186	184	182	180	178
195	193	191	189	187	185	183	181	179	177	175
192	190	188	186	184	182	180	178	176	174	172
189	187	185	183	181	179	177	175	173	171	169
186	184	182	180	178	176	174	172	170	168	166
183	181	179	177	175	173	171	169	167	165	163
180	178	176	174	172	170	168	166	164	162	160
177	175	173	171	169	167	165	163	161	159	157
174	172	170	168	166	164	162	160	158	156	154
171	169	167	165	163	161	159	157	155	153	151
168	166	164	162	160	158	156	154	152	150	148
165	163	161	159	157	155	153	151	149	147	145
162	160	158	156	154	152	150	148	146	144	142
159	157	155	153	151	149	147	145	143	141	139
156	154	152	150	148	146	144	142	140	138	136
153	151	149	147	145	143	141	139	137	135	133
150	148	146	144	142	140	138	136	134	132	130
147	145	143	141	139	137	135	133	131	129	127
144	142	140	138	136	134	132	130	128	126	124
141	139	137	135	133	131	129	127	125	123	121
138	136	134	132	130	128	126	124	122	120	118
135	133	131	129	127	125	123	121	119	117	115
132	130	128	126	124	122	120	118	116	114	112
129	127	125	123	121	119	117	115	113	111	109
126	124	122	120	118	116	114	112	110	108	106
123	121	119	117	115	113	111	109	107	105	103
120	118	116	114	112	110	108	106	104	102	100
117	115	113	111	109	107	105	103	101	99	97
114	112	110	108	106	104	102	100	98	96	94
111	109	107	105	103	101	99	97	95	93	91
108	106	104	102	100	98	96	94	92	90	88
105	103	101	99	97	95	93	91	89	87	85
102	100	98	96	94	92	90	88	86	84	82
99	97	95	93	91	89	87	85	83	81	79
96	94	92	90	88	86	84	82	80	78	76
93	91	89	87	85	83	81	79	77	75	73
90	88	86	84	82	80	78	76	74	72	70
87	85	83	81	79	77	75	73	71	69	67
84	82	80	78	76	74	72	70	68	66	64
81	79	77	75	73	71	69	67	65	63	61
78	76	74	72	70	68	66	64	62	60	58
75	73	71	69	67	65	63	61	59	57	55
72	70	68	66	64	62	60	58	56	54	52
69	67	65	63	61	59	57	55	53	51	49
66	64	62	60	58	56	54	52	50	48	46
63	61	59	57	55	53	51	49	47	45	43
60	58	56	54	52	50	48	46	44	42	40
57	55	53	51	49	47	45	43	41	39	37
54	52	50	48	46	44	42	40	38	36	34
51	49	47	45	43	41	39	37	35	33	31
48	46	44	42	40	38	36	34	32	30	28
45	43	41	39	37	35	33	31	29	27	25
42	40	38	36	34	32	30	28	26	24	22
39	37	35	33	31	29	27	25	23	21	19
36	34	32	30	28	26	24	22	20	18	16
33	31	29	27	25	23	21	19	17	15	13
30	28	26	24	22	20	18	16	14	12	10
27	25	23	21	19	17	15	13	11	9	7
24	22	20	18	16	14	12	10	8	6	4
21	19	17	15	13	11	9	7	5	3	1
18	16	14	12	10	8	6	4	2	0	-1
15	13	11	9	7	5	3	1	-1	-3	-5
12	10	8	6	4	2	0	-2	-4	-6	-8
9	7	5	3	1	-1	-3	-5	-7	-9	-11
6	4	2	0	-2	-4	-6	-8	-10	-12	-14
3	1	-1	-3	-5	-7	-9	-11	-13	-15	-17
0	-2	-4	-6	-8	-10	-12	-14	-16	-18	-20
-3	-5	-7	-9	-11	-13	-15	-17	-19	-21	-23
-6	-8	-10	-12	-14	-16	-18	-20	-22	-24	-26
-9	-11	-13	-15	-17	-19	-21	-23	-25	-27	-29
-12	-14	-16	-18	-20	-22	-24	-26	-28	-30	-32
-15	-17	-19	-21	-23	-25	-27	-29	-31	-33	-35
-18	-20	-22	-24	-26	-28	-30	-32	-34	-36	-38
-21	-23	-25	-27	-29	-31	-33	-35	-37	-39	-41
-24	-26	-28	-30	-32	-34	-36	-38	-40	-42	-44
-27	-29	-31	-33	-35	-37	-39	-41	-43	-45	-47
-30	-32	-34	-36	-38	-40	-42	-44	-46	-48	-50
-33	-35	-37	-39	-41	-43	-45	-47	-49	-51	-53
-36	-38	-40	-42	-44	-46	-48	-50	-52	-54	-56
-39	-41	-43	-45	-47	-49	-51	-53	-55	-57	-59
-42	-44	-46	-48	-50	-52	-54	-56	-58	-60	-62
-45	-47	-49	-51	-53	-55	-57	-59	-61	-63	-65
-48	-50	-52	-54	-56	-58	-60	-62	-64	-66	-68
-51	-53	-55	-57	-59	-61	-63	-65	-67	-69	-71
-54	-56	-58	-60	-62	-64	-66	-68	-70	-72	-74
-57	-59	-61	-63	-65	-67	-69	-71	-73	-75	-77
-60	-62	-64	-66	-68	-70	-72	-74	-76	-78	-80
-63	-65	-67	-69	-71	-73	-75	-77	-79	-81	-83
-66	-68	-70	-72	-74	-76	-78	-80	-82	-84	-86
-69	-71	-73	-75	-77	-79	-81	-83	-85	-87	-89
-72	-74	-76	-78	-80	-82	-84	-86	-88	-90	-92
-75	-77	-79	-81	-83	-85	-87	-89	-91	-93	-95
-78	-80	-82	-84	-86	-88	-90	-92	-94	-96	-98
-81	-83	-85	-87	-89	-91	-93	-95	-97	-99	-101
-84	-86	-88	-90	-92	-94	-96	-98	-100	-102	-104
-87	-89	-91	-93	-95	-97	-99	-101	-103	-105	-107
-90	-92	-94	-96	-98	-100	-102	-104	-106	-108	-110
-93	-95	-97	-99	-101	-103	-105	-107	-109	-111	-113
-96	-98	-100	-102	-104	-106	-108	-110	-112	-114	-116
-99	-101	-103	-105	-107	-109	-111	-113	-115	-117	-119
-102	-104	-106	-108	-110	-112	-114	-116	-118	-120	-122
-105	-107	-109	-111	-113	-115	-117	-119	-121	-123	-125
-108	-110	-112	-114	-116	-118	-120	-122	-124	-126	-128
-111	-113	-115	-117	-119	-121	-123	-125	-127	-129	-131
-114	-116	-118	-120	-122	-124	-126	-128	-130	-132	-134
-117	-119	-121	-123	-125	-127	-129	-131	-133	-135	-137
-120	-122	-124	-126	-128	-130	-132	-134	-136	-138	-140
-123	-125	-127	-129	-131	-133	-135	-137	-139	-141	-143
-126	-128	-130	-132	-134	-136	-138	-140	-142	-144	-146
-129	-131	-133	-135	-137	-139	-141	-143	-145	-147	-149
-132	-134	-136	-138	-140	-142	-144	-146	-148	-150	-152
-135	-137	-139	-141	-143	-145	-147	-149	-151	-153	-155
-138	-140	-142	-144	-146	-148	-150	-152	-154	-156	-158
-141	-143	-145	-147	-149	-151	-153	-155	-157	-159	-161
-144	-146	-148	-150	-152	-154	-156	-158	-160	-162	-164
-147	-149	-151	-153	-155	-157	-159	-161	-163	-165	-167
-150	-152	-154	-156	-158	-160	-162	-164	-166	-168	-170
-153	-155	-157	-159	-161	-163	-165	-167	-169	-171	-173
-156	-158	-160	-162	-164	-166	-168	-170	-172	-174	-176
-159	-161	-163	-165	-167	-169	-171	-173	-175	-177	-179
-162	-164	-166	-168	-170	-172	-174	-176	-178	-180	-182
-165	-167	-169	-171	-173	-175	-177	-179	-181	-183	-185
-168	-170	-172	-174	-176	-178	-180	-182	-184	-186	-188
-171	-173	-175	-177	-179	-181	-183	-185	-187	-189	-191
-174	-176	-178	-180	-182	-184	-186	-188	-190	-192	-194
-177	-179	-181	-183	-185	-187	-189	-191	-193	-195	-197
-180	-182	-184	-186	-188	-190	-192	-194	-196	-198	-200
-183	-185	-187	-189	-191	-193	-195	-197	-199	-201	-203
-186	-188	-190	-192	-194	-196	-198	-200	-202	-204	-206
-189	-191	-193	-195	-197	-199	-201	-203	-205	-207	-209
-192	-194	-196	-198	-200	-202	-204	-206	-208	-210	-212
-195	-197	-199	-201	-203	-205	-207	-209	-211	-213	-215
-198	-200	-202	-204	-206	-208	-210	-212	-214	-216	-218
-201	-203	-205	-207	-209	-211	-213	-215	-217	-219	-221
-204	-206	-208	-210	-212	-214	-216	-218	-220	-222	

[illegible]



310	311	312	313	315	317	Proctor 319	STAIRS 323	ELEVATOR 323	RECEP+ STUDY ROOM #6 323	323	32
309	308	306	304	302	TAIRS JC #20	307	305	303	Proctor 301	309	30
BATH SRNG 9'16"	BATH X 3-2 (UD)	314	316	318	320	321	BATH SRNG 10'	322	JOHNCE	324	32

GAGE Third Floor East

10'0"

12'6"


GAGE HALL FIRST FLOOR WEST



SCALE APPROX

1" = 0'

GAGE HALL FIRST FLOOR EAST




SCALE APPROX.

1" = 8'

GAGE HALL


BASEMENT FLOOR WEST



SCALE APPROX.

1" = 8'


GAGE HALL EAST BASEMENT FLOOR



SCALE APPROX.

1" = 8'

GAGE HALL DIRECTOR'S OFFICE & SUITE



SCALE APPROX.

1" = 8'



ANALYTICAL SERVICES
325 WOOD ROAD, BRAINTREE, MA 02184
(617) 849-6070

REPORT OF ANALYSIS

Clean Harbors of Kingston, Inc.
New York Division
P.O. Box 1812
Albany, NY 12201

Project: SUNY - NEW PALTZ COLLEGE
P.O. #: A-8820

Date Received: 12/31/91
CHAS Lab #: 9112303

Attn: Mr. George Cebula

Enclosed are the results for the sample(s) delivered to our laboratory on the date indicated above.

The methods listed represent those methodologies which were used to develop the best analytical techniques. Analytical results and quality assurance protocols are based on these guidelines. These meet the requirements for the reporting of results under the RCRA, NPDES and Safe Drinking Water Act regulations.

Clean Harbors Analytical Services has an active program of quality assurance and quality control. The program closely follows the guidance provided in the EPA Contract Laboratory Program Statement of Work (organic and inorganic), the guidance provided in SW-846, and many other pertinent documents.

Should you have any questions concerning this work, please do not hesitate to contact me.

The information contained in this report is, to the best of my knowledge, accurate and complete.

Per/Date: [Signature] Jan 92
Robert E. Bentley
Laboratory Manager



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: B-1, GAGE HALL
Sample Type: Wipe

CHAS Lab #: 9112303-01N
Date Received: 12/31/91

Polychlorinated Biphenyls (PCBs)

Extraction Date: 12/31/91
Analysis Date: 12/31/91

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	ND	ug/100 sq cm

Notes: ND = Below minimum detectable level (MDL)
Wipe Area: 100 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: B-2, GAGE HALL
Sample Type: Wipe

CHAS Lab #: 9112303-02N
Date Received: 12/31/91

Polychlorinated Biphenyls (PCBs)

Extraction Date: 12/31/91

Analysis Date: 12/31/91

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	ND	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)
Wipe Area: 100 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: B-3, GAGE HALL
Sample Type: Wipe

CHAS Lab #: 9112303-03N
Date Received: 12/31/91

Polychlorinated Biphenyls (PCBs)

Extraction Date: 12/31/91
Analysis Date: 12/31/91

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	1.3	ug/100 sq cm

Notes: ND = Below minimum detectable level (MDL)
Wipe Area: 100 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: B-4, GAGE HALL
Sample Type: Wipe

CHAS Lab #: 9112303-04N
Date Received: 12/31/91

Polychlorinated Biphenyls (PCBs)

Extraction Date: 12/31/91

Analysis Date: 12/31/91

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	7.9	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)
Wipe Area: 100 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: B-5, GAGE HALL
Sample Type: Wipe

CHAS Lab #: 9112303-05N
Date Received: 12/31/91

Polychlorinated Biphenyls (PCBs)

Extraction Date: 12/31/91
Analysis Date: 12/31/91

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	3.6	ug/100 sq cm

Notes: ND = Below minimum detectable level (MDL)
Wipe Area: 100 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 1-1, GAGE HALL
Sample Type: Wipe

CHAS Lab #: 9112303-06N
Date Received: 12/31/91

Polychlorinated Biphenyls (PCBs)

Extraction Date: 12/31/91
Analysis Date: 12/31/91

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	ND	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)
Wipe Area: 100 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 1-2, GAGE HALL
Sample Type: Wipe

CHAS Lab #: 9112303-07N
Date Received: 12/31/91

Polychlorinated Biphenyls (PCBs)

Extraction Date: 12/31/91
Analysis Date: 12/31/91

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	ND	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)
Wipe Area: 100 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2-1, GAGE HALL
Sample Type: Wipe

CHAS Lab #: 9112303-08N
Date Received: 12/31/91

Polychlorinated Biphenyls (PCBs)

Extraction Date: 12/31/91
Analysis Date: 12/31/91

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	ND	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)
Wipe Area: 100 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: 2-2, GAGE HALL
Sample Type: Wipe

CHAS Lab #: 9112303-09N
Date Received: 12/31/91

Polychlorinated Biphenyls (PCBs)

Extraction Date: 12/31/91
Analysis Date: 12/31/91

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	ND	ug/100 sq cm

Notes: ND = Below minimum detectable level (MDL)
Wipe Area: 100 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.

Inc.

CHAS Lab #: 9112303-10N

Date Received: 12/31/91

9112303-11N

Date: 12/31/91

Chlorinated Biphenyls (PCBs)

Extraction Date: 12/31/91

Analysis Date: 12/31/91

MDL	Concentration	Units
1.0	ND	ug/100 sq cm
1.0	ND	ug/100 sq cm
1.0	ND	ug/100 sq cm
1.0	ND	ug/100 sq cm
1.0	ND	ug/100 sq cm
1.0	ND	ug/100 sq cm
1.0	5.1	ug/100 sq cm

m
m
m
n
n
n
n

✓ minimum detectable level (MDL)

: 100 sq cm

Extracted with hexane for 5 minutes. The resulting
was analyzed by GC/ECD following EPA Method 8080.



QUALITY CONTROL

REPORT OF ANALYSIS

CHAS LAB. NO. 9112303

The attached quality control data was generated during the analysis of these samples. The sample data has been corrected for analytes found in the blank (if any). Corrections were performed in accordance with the procedures as stated in the Clean Harbors Analytical Laboratory QA/QC Manual and pertinent SOP's, which are available for review. This data is submitted for informational purposes only.



Client: Clean Harbors of Kingston, Inc.

CHAS Lab #: 9112303

Polychlorinated Biphenyls (PCB's) Blank


Extraction Date: 12/31/91

Analysis Date: 01/01/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	ND	ug/100 sq cm

Note: ND - Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.





Client: Clean Harbors of Kingston, Inc.
Sample I.D.: SWS-18, GAGE HALL
Sample Type: Wipe

CHAS Lab #: 9201010-07N
Date Received: 01/02/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 01/02/91
Analysis Date: 01/03/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	ND	ug/100 sq cm

Notes: ND = Below minimum detectable level (MDL)
Wipe Area: 100 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: SWS-19, GAGE HALL
Sample Type: Wipe

CHAS Lab #: 9201010-08N
Date Received: 01/02/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 01/02/91

Analysis Date: 01/03/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	ND	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)
Wipe Area: 100 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: SWS-20, GAGE HALL
Sample Type: Wipe

CHAS Lab #: 9201010-09N
Date Received: 01/02/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 01/02/91
Analysis Date: 01/03/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	ND	ug/100 sq cm

Notes: ND = Below minimum detectable level (MDL)
Wipe Area: 100 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: SWS-21, GAGE HALL
Sample Type: Wipe

CHAS Lab #: 9201010-10N
Date Received: 01/02/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 01/02/91
Analysis Date: 01/03/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	8.8	ug/100 sq cm

Notes: ND = Below minimum detectable level (MDL)
Wipe Area: 100 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



QUALITY CONTROL

REPORT OF ANALYSIS

CHAS LAB. NO. 9201010

The attached quality control data was generated during the analysis of these samples. The sample data has been corrected for analytes found in the blank (if any). Corrections were performed in accordance with the procedures as stated in the Clean Harbors Analytical Laboratory QA/QC Manual and pertinent SOP's, which are available for review. This data is submitted for informational purposes only.



Client: Clean Harbors of Kingston, Inc.

CHAS Lab #: 9201010

Polychlorinated Biphenyls (PCB's) Blank

Extraction Date: 01/02/92
Analysis Date: 01/03/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	ND	ug/100 sq cm

Note: ND = Below minimum detectable level (MDL)
Soil/solid sample results based on sample dry weight

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



✓ 1/02/92 8A
10/1

Clean Harbors Analytical, 213 Burlington Rd., Bedford, MA 01730				CHAIN OF CUSTODY RECORD				Sample Custodian: (617) 275-6111				Page 2 of 4	
Client: C.H.I. - Albany				Project Name: SUT-NEWPORT 3 College				Project P.O. #: A8820				Date: 1/2/92	
Report To: " "				Address: PO BOX 1812 Albany, NY 12201				Phone #: (518) 434-0149					
Invoice To: " "				Address: " "									
Date Samples Collected: 1/1/92				by: DIEHL/SNTU/GEE				Date Samples Received: 1/2/92					
Airbill/Bill of Lading? Y <u>N</u>				NOTE: Samples received unpreserved will be preserved upon arrival at CHAS. Samples were: Preserved <u>Unpreserved</u>									
Sample I.D.	Sampling Information			Analysis	# of con.	Comments (Special instructions, cautions, etc.)	CHAS Sample #						
	Date	Time	Station Location										
SWS-17	1/1/92	10:00 PM	Sudde Hall	✓			01N						
SWS-13			Sudde Hall	✓			02N						
SWS-14			Sudde Hall	✓			03N						
SWS-15			Sudde Hall	✓			04N						
SWS-16			Sudde Hall	✓			05N						
SWS-17			Sudde Hall	✓			06N						
SWS-18			Gage Hall	✓			07N						
SWS-19			Gage Hall	✓			08N						
SWS-20			Gage Hall	✓			09N						
SWS-21			Gage Hall	✓			10N						
Relinquished by: Jeff Keller				VOA Vial				REMARKS: (Sample storage, nonstandard sample bottles, special instructions)					
Date: 1/2/92				Glass Bottle									
Received by: Paul H				Plastic Bot.									
Date: 1/2/92				Pres.									
Relinquished by: R. M				Volume									
Date: 1/2/92													
Received by: Burn DeQuade													
Date: 1/2/92													

Preservation Key: A - Acidified with NaOH, B - Filtered, C - Sample chilled, D - NaOH, E - Naliosulfate, W - Sample Ambient, F - Other

Standard laboratory turnaround time is 2 weeks form date of receipt. Accelerated turnaround may be assessed a surcharge. Accelerated turnaround requested: _____

Confirmed by: _____

Location of samples: LAB

Turnaround: 24 Hrs 48 Hrs 1 Week 2 Weeks Other: _____