


Building # 39 (SUB)
STUDENT UNION

Edwards

- FIRE ALARMS ☐
- P.W. EXT. ●
- CO2 EXT. ●
- ABC EXT. ●
- GENERATOR ☐
- FIRE PANEL ☐

SUNY New Paltz
Safety Office 8/75



BASEMENT FLOOR PLAN

STUDENT UNION

115' A
102' B

BOOK STORE
100

2-119'

CANDY
102

103

104
(Comm Clst.)

106A

108 WOMEN

106 MEN

112 113 115A

110

SNACK BAR

KITCHEN
115

114

116

CAFETERIA
109


CAFETERIA - III

ENTRANCE

105
Public Bar


1st Floor Plan

STUDEN, UNION




2ND FLOOR PLAN

STUDENT UNION




3RD FLOOR PLAN

STUDENT UNION




2317

STUDENT UNION



MAIN ROOF & PENT HOUSE ROOF PLAN


STUDENT UNION PHOTO LAB



SCALE APPROX

1" = 8'

STUDENT EXHIBIT UNION MUSEUM



SCALE APPROX

1" = 8"



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: BLDG. 39, STUDENT UNION
Sample Type: Wipe

CHAS Lab #: 9201035-04N
Date Received: 01/04/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 01/04/92
Analysis Date: 01/04/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	0.3	ND	ug/100 sq cm
PCB - Aroclor 1221	0.3	ND	ug/100 sq cm
PCB - Aroclor 1232	0.3	ND	ug/100 sq cm
PCB - Aroclor 1242	0.3	ND	ug/100 sq cm
PCB - Aroclor 1248	0.3	ND	ug/100 sq cm
PCB - Aroclor 1254	0.3	ND	ug/100 sq cm
PCB - Aroclor 1260	0.3	1.3	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)
Wipe Area: 400 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.



Client: Clean Harbors of Kingston, Inc.
Sample I.D.: SWS-3, STUDENT UNION
Sample Type: Wipe

CHAS Lab #: 9201009-03N
Date Received: 01/02/92

Polychlorinated Biphenyls (PCBs)

Extraction Date: 01/02/91
Analysis Date: 01/02/92

Parameter	MDL	Concentration	Units
PCB - Aroclor 1016	1.0	ND	ug/100 sq cm
PCB - Aroclor 1221	1.0	ND	ug/100 sq cm
PCB - Aroclor 1232	1.0	ND	ug/100 sq cm
PCB - Aroclor 1242	1.0	ND	ug/100 sq cm
PCB - Aroclor 1248	1.0	ND	ug/100 sq cm
PCB - Aroclor 1254	1.0	ND	ug/100 sq cm
PCB - Aroclor 1260	1.0	2.6	ug/100 sq cm

Notes: ND - Below minimum detectable level (MDL)
Wipe Area: 100 sq cm

The sample was mixed with hexane for 5 minutes. The resulting extract was analyzed by GC/ECD following EPA Method 8080.